

Receiving Report

Date: 16-04-2014

Batch No: M BUL34

Supplier: Avial

Dart P/O: 32078

Packing Slip: Yes ✓ No
 Invoice: Yes ✓ No ✓
 Receipt: Cash Cr ✓
 New Supplier Yes No ✓

Release Note Attached: Yes ✓ No N/A
 Waybill Attached: Yes ✓ No
 Shipment Complete: Yes No N/A ✓
 QC18 Inspection N/A ✓
 Work Order

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SS

Production/Admin:
 Date
 Received/Costing
 Initial

Location



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 1 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905-676-1695

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

EXW - (Ex Works)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	156001-3S-0185 AS PER DWG D4002 REV. D B144479	Hose Assembly	4/25/2016 Yes 4/25/2016		2.00 ✓ Each	\$112.26	\$224.52
Line Total:							\$224.52
2	156001-6D0121 AS PER DWG D3297 REV. D B144480	Hose Assembly	4/25/2016 Yes 4/25/2016		2.00 ✓ Each	\$76.91	\$153.82
Line Total:							\$153.82
3	156001-6D0130 AS PER DWG D3297 REV. D B144481	Hose Assembly	4/25/2016 Yes 4/25/2016		2.00 ✓ Each	\$78.35	\$156.70

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016

SP 16-04-25



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 2 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905-676-1695

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

EXW - (Ex Works)

Line Total: \$156.70

4 156005-6D0213 ✓ Hose Assembly

4/25/2016

Yes

4/25/2016

2.00 ✓

Each

\$139.40

\$278.80

AS PER DWG D4002 REV. D
B144482 ✓

Line Total: \$278.80

5 AN3-14A ✓ Bolt

4/25/2016 FN

Yes

4/25/2016

50.00 ✓

Each

\$0.13

\$6.50 ✓

over 003 ✓

Line Total: \$6.50

6 AN4-13A ✓ Bolt

4/25/2016 FN

Yes

4/25/2016

300.00 ✓

Each

\$0.18

\$54.00 ✓

over 003 ✓

Line Total: \$54.00

SP16-04-25

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 3 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905-676-1695

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx Overnight collect

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

EXW - (Ex Works)

7	AN4-17A	Bolt	4/25/2016 Yes 4/25/2016	FN	50.00 Each	\$0.22	\$11.00
Line Total:							\$11.00
8	AN4-20A	Bolt	4/25/2016 Yes 4/25/2016	FN	50.00 Each	\$0.24	\$12.00
Line Total:							\$12.00
9	AN4-6A	BOLT	4/25/2016 Yes 4/25/2016	FN	200.00 Each	\$0.13	\$26.00
Line Total:							\$26.00
10	AN5-10A	Bolt	4/25/2016 Yes 4/25/2016		50.00 Each	\$0.25	\$12.50

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016

SP16-04-25



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 4 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905-676-1695

Ship To Contact

Ship To Phone

Ship Via:

FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

EXW - (Ex Works)

						Line Total:	
11	AN5-23A ✓	Bolt	4/25/2016 Yes 4/25/2016	50.00 Each	✓	\$0.42	\$21.00 ✓
337.						Line Total:	\$21.00
12	AN6-35A ✓	BOLT	4/25/2016 Yes 4/25/2016	30.00 Each	✓	\$1.10	\$33.00 ✓
over 605						Line Total:	\$33.00
13	AN6-36A ✓	Bolt	4/25/2016 FN Yes 4/25/2016	25.00 Each	✓	\$1.11	\$27.75 ✓
over 605						Line Total:	\$27.75
5016-04-25						Line Total:	\$27.75

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 5 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905-676-1695

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx Overnight collect

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

EXW - (Ex Works)

14	MS21042L3	Nut	4/25/2016 Yes 4/25/2016	FN	600.00 Each	\$0.14	\$84.00
Line Total:							\$84.00
15	MS21043-4	Nut	4/25/2016 Yes 4/25/2016	FN	300.00 Each	\$0.42	\$126.00
Line Total:							\$126.00
16	MS21059L08	Nut	4/25/2016 Yes 4/25/2016	FN	100.00 Each	\$0.38	\$38.00
Line Total:							\$38.00
17	MS27039-1-04	Screw	4/25/2016 Yes 4/25/2016	FN	100.00 Each	\$0.07	\$7.00
Line Total:							\$7.00

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016

SP/16-04-28



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32098**

Purchase Order Date 4/20/2016

PO Print Date 4/21/2016

Page Number 6 of 7

Order From :

AVIALL
PO BOX 842275

DALLAS, TX 75284-2275
USA

VU-AVI003

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905-676-1695

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

EXW - (Ex Works)

Line Total: \$7.00

19	NAS1149D0463J ✓	WASHER	4/25/2016 FN Yes 4/25/2016	1,000.00 ✓ Each	\$0.03	\$30.00 ✓
----	-----------------	--------	----------------------------------	--------------------	--------	-----------

2600A

Line Total: \$30.00

20	NAS1149D0663J ✓	Washer	4/25/2016 FN Yes 4/25/2016	500.00 ✓ Each	\$0.05	\$22.95 ✓
----	-----------------	--------	----------------------------------	------------------	--------	-----------

2600A
Dec

Line Total: \$22.95

21	MS21919WCF8 ✓	Clamp	4/25/2016 FN Yes 4/25/2016	6.00 ✓ Each	\$1.15	\$6.90 ✓
----	---------------	-------	----------------------------------	----------------	--------	----------

297

Line Total: \$6.90

SP/16-04-25

PO Instructions: Fedex Acc#151793240

Note:

4/21/2016



PACKING LIST



DELIVERY NUMBER: 8003016047

ROUTE: CA FedEx Priority Overnight

PAGE:1 of 1

DATE:20APR16

TIME:16:37:42

EMP:00000000

ORD TYP: ZOR 169

CURRENCY:USD

TERMS:Net 30

CUSTOMER PO:32098
ORDER NUMBER:1002087491
ORDER DATE:20APR16

B 10003952
I DART AEROSPACE LTD
L 1270 ABERDEEN STREET
L HAWKESBURY ON K6A 1K7
CANADA
T
O

S 10003952
H DART AEROSPACE LTD
I 1270 ABERDEEN STREET
P HAWKESBURY ON K6A 1K7
CANADA
T
O

S 1502
H AVIALL VANCOUVER CSC
I VANCOUVER SALES OFFICE
P UNIT 1-13511 CRESTWOOD PLACE
RICHMOND BC V6V 2E9
CANADA
F
R
O
M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	LIST PRICE	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	28	NAS1149D0663J WASHER: FLT,AL	500	420	80	EA	0.22	0.04	16.80
			BATCH 7363916509		40					
			BATCH 7364103356		20					
			BATCH 7364183973		360					

This is not an Invoice.
For payment processing, please refer to Invoice.

CERTIFICATE OF CONFORMANCE / CERTIFICAT DE CONFORMITE

I hereby certify that the aircraft parts appliances and/or aircraft materials described hereon were acquired from a source of supply that is consistent with the conditions under which the department of transport distributor approval number 35-86 has been granted. Je certifie par la par la presente que les pieces appareils et/ou materiaux d'avions decrits ci-dessus ont ete acqals d'une source d approvisionnement consistante avec les conditions sous lesquelles l'approbation du distruteur du department du transport no. 35-86 ont ete recue.

AV20 RS-06

Rick Rantz, DSM

20APR16
Date

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL
ESCOMPTE APPLIQUES SUR SOUS TOTAL SEULEMENT.
ALL RETURNED MERCHANDISE SUBJECT TO A
HANDLING FEE. FRAIS DE MANUTENTION APPLIQUES
SUR TOUTE MARCHANDISE RETOURNEE.

CUSTOMER COPY



PACKING LIST



DELIVERY NUMBER: 8003016047

ROUTE: CA FedEx Priority Overnight

PAGE:1 of 1
DATE:20APR16
TIME:16:37:42
EMP:00000000
ORD TYP: ZOR 169
CURRENCY:USD
TERMS:Net 30

CUSTOMER PO:32098
ORDER NUMBER:1002087491
ORDER DATE:20APR16

B 10003952
I DART AEROSPACE LTD
L 1270 ABERDEEN STREET
L HAWKESBURY ON K6A 1K7
CANADA
T
O

S 10003952
H DART AEROSPACE LTD
I 1270 ABERDEEN STREET
P HAWKESBURY ON K6A 1K7
CANADA
T
O

S 1502
H AVIAL VANCOUVER CSC
I VANCOUVER SALES OFFICE
P UNIT 1-13511 CRESTWOOD PLACE
RICHMOND BC V6V 2E9
CANADA
F
R
O
M

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	LIST PRICE	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	28	NAS1149D0663J WASHER: FLT,AL	500	420	80	EA	0.22	0.04	16.80
			BATCH 7363916509		40					
			BATCH 7364103356		20					
			BATCH 7364183973		360					

Handwritten signature: M. K. 20

This is not an Invoice.
For payment processing, please refer to Invoice.

CERTIFICATE OF CONFORMANCE / CERTIFICAT DE CONFORMITE

I hereby certify that the aircraft parts appliances and/or aircraft materials described hereon were acquired from a source of supply that is consistent with the conditions under which the department of transport distributor approval number 35-86 has been granted. Je certifie par la par la presente que les pieces appareils et/ou materiaux d'avions decrits ci-dessus ont ete acqals d'une source d approvisionnement consistante avec les conditions sous lesquelles l'approbation du distruteur du department du transport no. 35-86 ont ete recue.

Handwritten signature

AV20 RS-06

Rick Rantz, DSM

20APR16
Date

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL
ESCOMPTE APPLIQUES SUR SOUS TOTAL SEULEMENT.
ALL RETURNED MERCHANDISE SUBJECT TO A
HANDLING FEE. FRAIS DE MANUTENTION APPLIQUES
SUR TOUTE MARCHANDISE RETOURNEE.

CUSTOMER COPY



A BOEING COMPANY

Commercial Invoice

AVIALL SERVICES INC
2750 REGENT BLVD
DFW AIRPORT TX 75261
USA

Government Transaction Number NOEEI FTR 30.36	
Delivery Number 8003016230	
Tracking Number	Commercial Invoice Number 9303722157
Incoterms EXW Shipping Point	Ship Date 21 April, 2016

Sold To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Ultimate Consignee DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Ship To DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA	10003952	Freight Forwarder FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515 USA Tax Number: 20-4734803	400010
--	----------	---	----------	--	----------	---	--------

Comments:

Item	Part Number & Description	Country of Origin	Quantity	UOM	Unit Value USD	Extended Value USD
50	AN3-14A BOLT: HEX HD,ST Harmonized Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_APR_2016 Sales Order: 1002087491 PO: 32098 Batch Number: 7364201253	US	50	EA	0.13	6.50
60	AN4-13A BOLT: HEX HD,ST Harmonized Tariff: 7318152000 Export Classification: 9A991.d Authorization: NLRAT_APR_2016 Sales Order: 1002087491 PO: 32098 Batch Number: 7364212938	US	300	EA	0.18	54.00
70	AN4-17A BOLT: HEX HD,ST Harmonized Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_APR_2016 Sales Order: 1002087491 PO: 32098 Batch Number: 7364212718	US	50	EA	0.22	11.00
80	AN4-20A BOLT: HEX HD,ST Harmonized Tariff: 7318152000 Export Classification: EAR99 Authorization: NLRAT_APR_2016 Sales Order: 1002087491 PO: 32098 Batch Number: 7364185308	US	50	EA	0.24	12.00

2016-04-25



ETA Global Inc.

P.O. BOX 259
PALESTINE, TX 75802-0259

PH: (903)729-3131
Quality FAX: (903)729-1217
www.etaglobal.com

Packing Slip

331698-000

Page 1 of 1

Ship Date:

ISO9001:2008
AS9100 Rev C
Certificate NO. C0023281

Sold to: 8418

Ship to:

AVIALL SERVICES (CONTRACT)
ATTN: ACCOUNTS PAYABLE
PO BOX 619048
DALLAS, TX 75261
UNITED STATES

AVIALL SERVICES (CONTRACT)
2750 REGENT BLVD
DFW AIRPORT, TX 75261
UNITED STATES

Customer P.O.			Department		Message		
45156968			500		FEDEX 0752-6857-2		
Payment terms			Salesper 2		B P	Ship via	Freight terms
1&10NET30			#####		Y Y	Fed X grnd	COLLECT
Ln	Ship Quantity	UOM	Item / Description				

0010 1700 EACH NAS1149D0663J
WASHER, FLAT

Control #: 48914200-01-01 1700
Mfg Lot #: 7611-8/1/14
MFG: MOELLER MFG & SUPPLY INC
Country of origin: UNITED STATES

ITEM NAS1149D0663J=28



BATCH 7363916509



APHONGSAVAN
02/17/15

ETA Global, Inc. certifies the products furnished on the above referenced order were manufactured in accordance with all applicable part numbers, specifications and descriptions. This statement is supported by a certificate of conformance and/or test reports on file at our facility or the place of manufacture/supply. In addition, the product listed on this packing list meets all requirements of DFARS 252.225-7009 - Restriction on Acquisition of Certain Articles Containing Specialty Metals (formerly DFARS 252.225-7014 & Alt. I (Preference for Domestic Specialty Metal). Supporting documentation is available for review with proper notice (additional costs may be incurred).

Quality Control Authority

Angela Coleman

Date: 2/13/15

ETA
#16

IMPORTANT NOTICE: LIMITATION OF REMEDIES: If this product is proved to be defective, the exclusive remedy available and ETA'S only obligation shall be to replace such quantity of this product which is proved to be defective or to refund the purchase price paid for this product. ALL CLAIMS FOR DEFECTIVE MATERIAL ARE WAIVED UNLESS MADE IN WRITING WITHIN 30 DAYS FROM THE DATE OF SHIPMENT.
LIMITATION OF LIABILITIES: ETA shall not be liable for any damages, including incidental and/or consequential damage, regardless of the legal theory asserted, including negligence and/or strict liability.
Before using, User shall determine the suitability of the product for intended use. User assumes all risk and liability whatsoever in connection therewith. CHECK CAREFULLY - Reference must be made to our delivery receipt register number when making claims or request for adjustment. ALL RETURNS SUBJECT TO APPROVAL OF SELLER TO RETURN.
The foregoing limitation of remedies and liabilities may not be altered unless in writing signed by the President of ETA GLOBAL, INC.

Distribution/Manufacturing software provided by Rennie, Lindsey and Associates, Inc.

02-12-15 04:38 PM
Mention promo code 004189 at www.ra-assist.com/promo.html

**MOELLER MFG. & SUPPLY, INC.**

805 EAST CERRITOS • ANAHEIM, CA 92805

(714) 999-5551 • FAX (714) 999-5970

<http://www.moellermfg.com>

cage code: 58009

SHIPPER NO. : 69327

CERTIFICATION**PACKING LIST**S
O
L
D
T
O
ETA GLOBAL, INC.

PO BOX 259

PALESTINE

Customer #: ETA

TX 75802-0259



S
H
I
P
T
O
ETA GLOBAL, INC.

5500 W. OAK STREET

PALESTINE

TX 75802

P.O. #: 489142

DATE ORDER REC'D.	ORDER NO.	COMMENTS	SHIPPED VIA	TERMS	DUE
1/14/2015	489142		UPS COLLEC	1%-10/N-30	1/15/2015
ITEM	ORDERED	SCHEDULED	SHIPPED	PART NUMBER/DESCRIPTION	NET WT.
001	25,000	25,000	25,000 FN	NAS1149D0663J REV. 5 AN960JD616 REV. 21 LOT 7611- <u>81,114</u> FULL CERTS 1,2,33,34,35,38 	{S} 25,000 29.00 519-A 788
002	25,000	25,000	25,000 FN	NAS1169C8 REV. 6 LOT-2333- <u>11/8/12</u> FULL CERTS DFAR 252.225-7009 1,2,26,33,34,35,38  1910396673 ETA CTL#:48914200-01-01	{S} 1849 2000 3,40 180X 23,000 38.70 420 BOX1 692-A

MANUFACTURED IN THE U.S.A.

MOELLER MFG. & SUPPLY, INC. - PACKING LIST & CERTIFICATION

WE CERTIFY THAT THE MATERIAL ON THIS ORDER CONFORMS IN ALL RESPECTS TO THE CURRENT APPLICABLE GOVERNMENT AND/OR MANUFACTURER'S SPECIFICATIONS.

1. ALL ITEMS ABOVE ARE MANUFACTURED IN ACCORDANCE WITH THE MATERIAL AND PROCESSING SPECIFICATIONS OF THIS ORDER. WE ALSO CERTIFY THAT THESE PARTS HAVE NOT COME IN CONTACT WITH MERCURY WHILE IN OUR POSSESSION.
2. THE GOODS COVERED BY THIS INVOICE WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938, AS AMENDED. ALL CLAIMS FOR ERRORS OR SHORTAGES MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS. NO GOODS TO BE RETURNED WITHOUT WRITTEN AUTHORIZATION. ALL CLAIMS FOR DEFECTIVE MATERIAL MUST BE FILED WITHIN 30 DAYS OF SHIPMENT TO RECEIVE CONSIDERATION. WE DO NOT ASSUME FINANCIAL RESPONSIBILITY FOR LIABILITY FROM THE USE OF PRODUCTS SOLD, OTHER THAN REPLACEMENT VALUE OF THE PRODUCTS SOLD, IF CLAIMED WITHIN THE SPECIFIED TIME LIMIT ABOVE.
3. PARTS ARE TO BE CONSIDERED ITAR EXEMPT OR DUAL PURPOSE UNLESS OTHERWISE STATED.

BY 
MICHAEL CLANACHAN, QUALITY MANAGER

RECEIVED IN GOOD CONDITION BY	DATE	PACKED BY	BAGS	CARTONS	GROSS WT.
	1/15/15	FN		2	74

MOELLER MANUFACTURING & SUPPLY, INC. • 805 EAST CERRITOS • ANAHEIM, CA 92805 • U.S.A.

AVIALL - TRUE CERTIFIED COPY | 04/20/2016 | Ship #: 8003016047 | Line: 900010 | 7363916509 | Qty: 40 | CPO: 32098

**ETA Global Inc.**P.O. BOX 259
PALESTINE, TX 75802-0259PH: (903)729-3131
Quality FAX: (903)729-1217
www.etaglobal.com**Packing Slip**

341111-000

Page 1 of 1

Ship Date:

ISO9001:2008
AS9100 Rev C
Certificate NO. C0023281

Sold to: 8418

Ship to:

AVIAL SERVICES (CONTRACT)
ATTN: ACCOUNTS PAYABLE
PO BOX 619048
DALLAS, TX 75261
UNITED STATESAVIAL SERVICES (CONTRACT)
2750 REGENT BLVD
DFW AIRPORT, TX 75261
UNITED STATES

Customer P.O.		Department	Message	
45309776		500	FEDEX 0752-6857-2	
Payment terms	Salesper 2	B P	Ship via	Freight terms
1%10NET30	#####	Y Y	Fed X grnd	COLLECT
Ln	Ship Quantity	UOM	Item / Description	

0010 3940 EACH NAS1149D0663J
WASHER, FLATControl #: 48914200-01-01 3940
Mfg Lot #: 7611-8/1/14
MFG: MOELLER MFG & SUPPLY INC
Country of origin: UNITED STATES

ITEM NAS1149D0663J=28



BATCH 7364103356

CANDERSON
10/21/15

ETA certifies the products furnished on the above referenced order have been manufactured in accordance with all applicable part numbers, specifications, and descriptions. This statement is supported by a Certificate of Conformance and/or Chemical/Physical report of raw material on file at ETA or place of manufacture/supply subject to examination with proper notice (additional costs may be incurred.)

Quality Control Authority

ETA
#14

Date: 10/ 19/ 15

IMPORTANT NOTICE: LIMITATION OF REMEDIES: IF this product is proved to be defective, the exclusive remedy available and ETA'S only obligation shall be to replace such quantity of this product which is proved to be defective or to refund the purchase price paid for this product. ALL CLAIMS FOR DEFECTIVE MATERIAL ARE WAIVED UNLESS MADE IN WRITING WITHIN 30 DAYS FROM THE DATE OF SHIPMENT.
LIMITATION OF LIABILITIES: ETA shall not be liable for any damages, including incidental and/or consequential damage, regardless of the legal theory asserted, including negligence and/or strict liability.
Before using, User shall determine the suitability of the product for intended use. User assumes all risk and liability whatsoever in connection therewith. CHECK CAREFULLY - Reference must be made to our delivery receipt register number when making claims or request for adjustment. ALL RETURNS SUBJECT TO APPROVAL OF SELLER TO RETURN.
The foregoing limitation of remedies and liabilities may not be altered unless in writing signed by the President of ETA GLOBAL, INC.

Distribution/Manufacturing software provided by Rennie, Lindsey and Associates, Inc.

10-19-15 11:23 AM

Mention promo code 004189 at www.ria-assist.com/promo.html

**MOELLER MFG. & SUPPLY, INC.**

805 EAST CERRITOS • ANAHEIM, CA 92805

(714) 999-5551 • FAX (714) 999-5970

<http://www.moellermfg.com>

cage code: 58009

SHIPPER NO.: 69327

**CERTIFICATION
PACKING LIST**

SOLD TO ETA GLOBAL, INC.

PO BOX 259

PALESTINE

Customer #: ETA

TX 75802-0259

SHIP TO ETA GLOBAL, INC.

5500 W. OAK STREET

PALESTINE

TX 75802

P.O. #: 489142

DATE ORDER REC'D.	ORDER NO.	COMMENTS		SHIPPED VIA	TERMS	DUE
1/14/2015	489142			UPS COLLEC	1%-10/N-30	1/15/2015
ITEM	ORDERED	SCHEDULED	SHIPPED	PART NUMBER/DESCRIPTION		NET WT.
001	25,000	25,000	25,000 <i>JN</i>	NAS1149D0663J REV. 5 AN960JD616 REV. 21 LOT 7611- <i>81114</i> FULL CERTS 1,2,33,34,35,38		25,000 29.00
002	25,000	25,000	25,000 <i>JN</i>	NAS1169C8 REV. 6 LOT-2333- <i>11/8/12</i> FULL CERTS DFAR 252.225-7009 1,2,26,33,34,35,38		25,000 38.70

RECEIVED JAN 20 2015

MANUFACTURED IN THE U.S.A.

MOELLER MFG. & SUPPLY, INC. - PACKING LIST & CERTIFICATION

WE CERTIFY THAT THE MATERIAL ON THIS ORDER CONFORMS IN ALL RESPECTS TO THE CURRENT APPLICABLE GOVERNMENT AND/OR MANUFACTURER'S SPECIFICATIONS.

1. ALL ITEMS ABOVE ARE MANUFACTURED IN ACCORDANCE WITH THE MATERIAL AND PROCESSING SPECIFICATIONS OF THIS ORDER. WE ALSO CERTIFY THAT THESE PARTS HAVE NOT COME IN CONTACT WITH MERCURY WHILE IN OUR POSSESSION.
2. THE GOODS COVERED BY THIS INVOICE WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938, AS AMENDED. ALL CLAIMS FOR ERRORS OR SHORTAGES MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS. NO GOODS TO BE RETURNED WITHOUT WRITTEN AUTHORIZATION. ALL CLAIMS FOR DEFECTIVE MATERIAL MUST BE FILED WITHIN 30 DAYS OF SHIPMENT TO RECEIVE CONSIDERATION. WE DO NOT ASSUME FINANCIAL RESPONSIBILITY FOR LIABILITY FROM THE USE OF PRODUCTS SOLD, OTHER THAN REPLACEMENT VALUE OF THE PRODUCTS SOLD, IF CLAIMED WITHIN THE SPECIFIED TIME LIMIT ABOVE.
3. PARTS ARE TO BE CONSIDERED ITAR EXEMPT OR DUAL PURPOSE UNLESS OTHERWISE STATED.

BY *[Signature]*
MICHAEL CLANACHAN, QUALITY MANAGERRECEIVED IN
GOOD CONDITION BY
DATE *1/15/15*PACKED BY *JN*

BAGS

CARTONS 2

GROSS WT. 74

MOELLER MANUFACTURING & SUPPLY, INC. • 805 EAST CERRITOS • ANAHEIM, CA 92805 • U.S.A.

AVIALL - TRUE CERTIFIED COPY | 04/21/2016 | Ship #: 8003014951 | Line: 10 | 7364103356 | Qty: 80 | CPO: 32098



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

PACKING SLIP





Print Date : Dec-21-2015 7:23 AM

Printed By: GMOO Print No. : 2

No. 078648

Pg:1/1

Ship To : [1]		For : Account No. [AVIALL-DALLA]	
AVIALL CENTRAL WAREHOUSE Attn: RECEIVING DEPT. 2750 REGENT BOULEVARD DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1994		AVIALL Attn: SEDRICK CLARK 2700 Regent Blvd DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1994	
S.O. No. : 056523	Our Ref :	Domestic AW :	
Cust P.O. : 0045327683	Your Ref :	Int'l AWB :	
Picked On : Nov-03-2015	Spec Inst :	Origin :	
Shipped On : Dec-25-2015	Contract :	Transpor :	
Ship Via : DROP OFF	Lic No. :	Nationali :	
F.O.B. : DESTINATION	Expires :	Trip/Flig :	
Terms : NET 30			
Our Contact : MERLE LANGTON			


Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
1	MS21059L08  UID368793  Rev: 2 Note: NUTPLATE: SELF-LKG,ST PG:50 PER LOT #: 64174 REV: 2 MFG: PAOLO ASTORI SPA CAGE CODE: A3856 MATL TYPE: MULTIPLE Country Of Origin: ITALY	DF1	12,000.00	12,000.00 EA	0.00	
<div><div>ITEM MS21059L08 = 28  BATCH 7364154749 </div><div>MDO 12/29/15</div></div>						
UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL., GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFARS/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.						

Copyright (c) PENTAGON2000 Software, Inc.
Ser # [2000 21078] Ver 9.00 02 Build 62

CUSTOMER COPY



PAOLO ASTORI SPA
Via Mirabella, 9 - Magliate Superiore
28013 Gattico (NO) ITALY
Tel. (+39) 03280198
Fax (+39) 03280198
Web: www.paoloastori.com



DOCUMENTO DI TRASPORTO (D.d.T.)

N° 4993 Data 25/05/2015 Pag. 1 / 2

AERO-GLEN INTERNATIONAL LLC 2292
PO BOX 878
GRAPEVINE TX
USA

Destinazione (Ship To):
AERO-GLEN INTERNATIONAL 1314
1160 MUSTANG DR - SUITE 300
DFW INTERNATIONAL AIRPORT
75261 DALLAS US

Cod. Cliente

Pos.	Descrizione merce Part Number	Ordine/Riga (PO #/Line #)	Data Ordine (PO Date)	Quantità (Quantity)	U.M.	N° Lotto (Batch #)	Peso (Weight)	TR	OCIR	FAI
1	MS21059L08(Rev. REV2)	027391/2	17/02/2014	1773	N	60262	-		X	
2	MS21059L08(Rev. REV2)	027391/2	17/02/2014	6000	N	60262	-		X	
3	MS21059L08(Rev. REV2)	027391/2	17/02/2014	6000	N	60262	-		X	
4	MS21059L08(Rev. REV2)	027391/2	17/02/2014	6000	N	60262	-		X	
5	MS21059L08(Rev. REV2)	027391/2	17/02/2014	6000	N	60262	-		X	
6	MS21059L08(Rev. REV2)	027391/2	17/02/2014	2227	N	60262	-		X	
7	MS21059L08(Rev. REV2)	027391/2	17/02/2014	5500	N	60262	-		X	
8	MS21059L08(Rev. REV2)	027391/2	17/02/2014	5500	N	60262	-		X	
9	MS21059L08(Rev. REV2)	027391/2	17/02/2014	5500	N	60262	-		X	
10	MS21059L08(Rev. REV2)	027391/2	17/02/2014	5500	N	60262	-		X	
11	MS21059L08(Rev. REV2)	027391/1	17/02/2014	2907	N	64174	-		X	
12	MS21059L08(Rev. REV2)	027391/1	17/02/2014	6000	N	64174	-		X	
13	MS21059L08(Rev. REV2)	027391/1	17/02/2014	6000	N	64174	-		X	

.. PAGAMENTO ANTICIPATO ..

Aspetto esteriore merce

Tramite spedizione
VETTORE
Causale trasporto
VENDITA PRODUZIONE
Primo vettore
UPS ITALIA SRL # 756163
Secondo vettore

Comprende DdT n°

Modalità di consegna
PORTO ASSEGNATO
Data inizio trasporto

Data ritiro merce

Data ritiro merce

Segue su DdT n°

Firma conducente

Firma destinatario

Firma primo vettore

Firma secondo vettore

AI SENSI DELL'ART. 13 D.LGS 196 DEL 30/06/2003 IL DESTINATARIO PUO' AVERE ACCESSO AI SUOI DATI E CHIEDERNE LA MODIFICA, COME PREVISTO DALL'ART. 7 DEL D.LGS 196 DEL 30/06/2003, SCRIVENDO A PAOLO ASTORI SPA VIA MIRABELLA 9, 28013 MAGGIATE SUPERIORE - GATTICO (NO)

Gexpro Services - Irving (DFAR)

9500 North royal lane
Suite 130
Irving, Texas 75063
USA
Phone: 972 915-0800
Fax: 972-915-1792

ORDER NUMBER

20243326-0001



BILL TO: AVIALL SERVICES INC
PO BOX 619048
DALLAS, TX 75261-9048
972-586-1905 VI

SHIP TO: AVIALL CENTRAL WAREHOUSE
2750 REGENT BLVD.
DFW AIRPORT, TX 75261

CUSTOMER	P.O. NUMBER	ORDER DATE	PRINT DATE	SALESMAN	TAKER	ROUTE
AVIALS	0045328508	11/02/2015	12/30/1899 12:00 am	2019	2080	1

INSTRUCTION

GEXPRO DELIVERY TUES & THURS SEE PACKAGING REQUIREMENTS

CARRIER

<NONE>

ORDERED	SHIPPED	BO	LINE	ITEM NUMBER	UOM	INTERNAL USE
10,350	10,150		1	**** MUST BE MFG IN THE USA **** MFG CERT REQ DATE OF MANUFACTURE, SHELF LIFE, AND EXPIRATION DATE REQUIRED ***** ONLY SHIP IN INCREMENTS OF BAG QTY & ONLY ONE LOT PER ***** SHELF LIFE MUST BE >80% **** PROVIDE CRADLE TO GRAVE CERTS IF AVAILABLE ***** AVIALL T&C'S APPLY PART #:AN4-6A=28 AN4-6A HEX M/B ITEM ID:10 50.0 BAG & LABEL 50 PER RoHS COMPLIANCE: N/A 2099- DATE REQ: 06/03/16 Lot: >K325BAAA Qty: 10150 MfgLot: AIRFASCO/25083/203/221 COO: US	EA	DMCEVOY 03/29/16 ITEM AN4-6A=28 BATCH 736422535

DATE REQ:11/04/15

Certificate of Conformance

It is hereby certified that all articles on this order, placed by your company, are in conformance with all the applicable requirements, specifications and drawings stated on the purchase order. This statement is supported by Certificates of Conformance or

[Signature]
Corporate Director of Quality Assurance

PACKED BY	CHECKED BY	SHIPPED BY
	<i>[Signature]</i> Service	

3/25/2016 10:42:09AM

PACKING SLIP

Page 1 of 1



Bailey HYD
AS9120:2009/ISO9001:2008/AC00-56A
1931 Bomar Avenue
Fort Worth, TX 76103
Ph: (817) 546-1200, Fax: (817) 546-1204

Packing Slip

Invoice #: 74673
Invoice Date: 12/23/2015
Time: 8:45:37 AM
Page: 1

To:
GEXPRO SERVICES INC.
9500 NORTH ROYAL LANE
SUITE 130
IRVING, TX 75063
ATTN: REGINA NGUYEN
Ph: 972-915-1782

Ship To:
GEXPRO SERVICES INC.
9500 NORTH ROYAL LANE
SUITE 130
IRVING, TX 75063

Cust. PO#: 20139333	Terms: 2% 10 NET 30	Ship Via: CUSTOMER PICKUP	Ship Via Acc:
Order Date: 11/12/2015	# of Items: 2	# of Boxes:	Weight:
Customer #: 4672	Sales Order: 332113	Ship Log #: 1	Ship Order:
Prepared By: DILLON FAULKNER	VAT #:	Cust VAT #:	Ship Date: 12/23/2015
Buyer: REGINA NGUYEN	FOB:	AWB: ASAP 47176	Shipment:


Item	Part Number/Description	Shipped	BackOrd	CD	Unit Price	UOM	Total Amt
6	AN4-5A BOLT-MACH,AIRCRAFT MFG: AIRFASCO LOT#: 25792 MFG C OF C WITH TRACE CERTIFICATION IS ON FILE THAT INDICATES THAT THE MATERIAL COMPLIES WITH DFARS 252.225-7014 ALT 1 OR SIMILAR.	32600	0	NE		EA	
7	AN4-5A BOLT-MACH,AIRCRAFT MFG: AIRFASCO LOT#: 23109 MFG: AIRFASCO LOT#: 25083 MFG C OF C WITH TRACE CERTIFICATION IS ON FILE THAT INDICATES THAT THE MATERIAL COMPLIES WITH DFARS 252.225-7014 ALT 1 OR SIMILAR.	200 30000	0	NE		EA	
							128

WE HEREBY CERTIFY THAT THIS MATERIAL HAS BEEN MANUFACTURED IN ACCORDANCE WITH ALL AN, MS, AND MIL DRAWINGS & SPECIFICATIONS. ALL CLAIMS FOR ERROR, SHORTAGE, OR DAMAGE MUST BE MADE WITHIN 30 DAYS AFTER OUR SHIPMENT OF GOODS. LIABILITY TO BAILEY HYD IS LIMITED TO CREDIT AND/OR REPLACEMENT OF GOODS. Please see our website for export license agreement details, warranty, disclaimer of liability and terms & conditions.


Authorized Signature:

Charles Anderton, QA MANAGER


Form created with Quantum Control(tm) technology. Product Licensed to: Bailey HYD



FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854



FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



FROM:
BILD INDUSTRIES, INC.

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

COMPLETE CUSTOMER PO NO.

BILL TO NO.

SHIP TO NO.

PAGE

AVIALL SERVICES, INC.
ATTN. AP DEPT.
P.O. BOX 619048
DALLAS TX

0045390756

BUYER NAME & PHONE NO.

EDI

TX 752619048

PACKING SLIFE

INSPECT IMMEDIATELY

DMCEVOY
03/16/16

ITEM AN4-13A=28

ITEM AN4-13A=28

BATCH 7364212938

CERTIFICATION OF CONFORMANCE
WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE
MAR 09 2016

QUALITY CONTROL MANAGER

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

DATE SHIPPED

SHIPPED VIA

SIGNATURE - MERCHANDISE RECEIVED

TO: [REDACTED]

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS

[Handwritten signature]

02/25/16

CUSTOMS INVOICE/PACKING SHEET



4656295-00

Cust#: 30925

SOLD TO: AVIALL DISTRIBUTION GROUP
ATTENTION A/P DEPARTMENT
P.O. BOX 619048

DALLAS, TX 75261-9048 US

VAT#

SHIPPER: KAPCO GLOBAL
1 INDUSTRIAL PARK RD.
CENTERBROOK, CT 06409

SHIP TO: AVIALL DISTRIBUTION GROUP
2750 REGENT BLVD.
2750 REGENT BLVD.

DFW AIRPORT, TX 75261 US

Prof. Routing FED EX GROUND

UPC VENDOR	INVOICE NO.	ON DOCK
000000	4656295-00	
PROMISED	REQUEST	SHIPPED
02/25/16	02/25/16	
CUSTOMER P.O.		

FORWARD TO:

P.O. NUMBER	ITEM NO.	PART NUMBER	ICN No.	QTY	UOM	UNIT PRICE	TOTAL VALUE	COUNTRY OF ORIGIN	QUANTITY ORDERED	QUANTITY B.O.	QUANTITY SHIPPED
0045378307	10	MS21919WCF8		18.00	EA				18.00	0.00	18.00
		Desc: CLAMP PCAT: S HS# 7326.90.8595	345658	18.00		Cure: 2Q2013		CN			
		MFR- Name: KIRK HILL-TA CO. Revision: E Lot: L20338-001 KAPCO GLOBAL CERTIFIES THAT WE ARE ACCREDITED TO FAA AC-0056A FOR SHIPMENTS MADE FROM U.S. SITES. THE ITEM(S) IDENTIFIED HEREIN CONFORM TO AN ESTABLISHED INDUSTRY, U.S. GOVERNMENT, OR COMMERCIAL STANDARD. S/L: 7 YRS PER MFR. INSP BY: L. CHALKER 02/25/2016									



APHONGSAVAN
03/02/16

The merchandise listed has been produced in accordance with Fair Labor Standards Act of 1938 as amended.
No claims allowed unless made within ten (10) days after receipts of Goods and in no case shall the liability
assumed by us under the guarantees either expressed or implied, exceed the face value of the invoice for the
merchandise in question.

TOTAL BOX VALUE:

These commodities, technology or software were exported from the United States in accordance
with the Export Administration Regulations. Diversion contrary to U.S. Law is prohibited.

SHIPPED UNDER NLR HS#8803.30.0010 - ECCN: 9A991.D

UNLESS OTHERWISE SPECIFIED ON LINE ITEM

FOR CUSTOMS PURPOSES ONLY. DO NOT PAY FROM THIS DOCUMENT.



Terms of Sale - Incoterms-2010; EXW: Essex, CT

CERTIFICATE OF CONFORMANCE

WE HEREBY CERTIFY THAT THE PRODUCT SUPPLIED IS NEWLY MANUFACTURED,
AND MEETS ALL REQUIREMENTS OF THE APPLICABLE PURCHASE ORDER.
EVIDENCE OF CONFORMANCE IS ON FILE AND AVAILABLE FOR REVIEW UPON REQUEST.

Pete Curti

PETE CURTI
CORPORATE VICE PRESIDENT OF QUALITY

Thank You For This Order
PACKING LIST

Esterline

TA Aerospace

Kirkhill-TA Co.
TA Aerospace
Kirkhill Elastomers
Haskon Aerospace
Custom Silicone Elastomers

28065 West Franklin Pkwy.
Valencia, CA 91355
Phone: 661/775-1100
Fax: 661/775-1150

Certificate of Compliance

PART NO.: MS21919WCF8 TA ORDER NO.: L20338
TA DWG. REV. LEVEL: E PART NAME: LOOP CLAMP
CUSTOMER NAME: KAPCO QUANTITY: 1000
DATE: 07/26/13 CURE DATE: 2Q13
LINE ITEM: 001

SHELF LIFE 7 YEARS
COUNTRY OF ORIGIN: CHINA

Dual Cert Part Number: N/A Customer Order No.: 344340-00
Lot No.: L20338-001 Customer Dwg. Rev. Level: E

We hereby certify the products produced have been manufactured and tested in accordance with the applicable purchase order, drawing and specifications. All manufacturing processes have been performed under third party approved AS9100 Quality System. Test reports are on file and available for review to substantiate conformance of the above product.

The raw material that was used to manufacture these parts was melted in the USA or a qualifying country and complies with applicable sections of DFARS 252.225.7014.

Test requirements and results:

ACCEPTED

Deviations (e.g. Major concessions or production permits):

NONE

Quality Assurance Inspector: _____

KAREN TERKAZARYAN
QC Inspector

FORM W107-005D
03/20/2012



ICN: 345658, Doc Date: 8/14/2013

CUST PO NO
*0045331538 SO NO
518914FROM:
BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854SHIP
TOAVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261CUST PO NO
*0045331538 SO NO
518914FROM:
BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854SHIP
TOAVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261CUST PO NO
*0045331538 SO NO
518914FROM:
BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854SHIP
TOAVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN. AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

*0045331538

BILL TO NO.

SHIP TO NO.

PAGE

ASI007

BUYER NAME & PHONE NO.

EDI

PACKING SLIP
INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		100	100	85391/75930 C AN6-36A	*004533153	ASI007	BOLT bx 28-29
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	C S/C MANUFACTURE CERT	*004533153	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	C USA COUNTRY OF ORIGIN	*004533153	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE
WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE

MAR 02 2018

QUALITY CONTROL MANAGER

Paula E. Jones

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

DATE SHIPPED

SHIPPED VIA

CV

SIGNATURE - MERCHANDISE RECEIVED

X

DMCEVOY
03/11/16

ITEM AN6-36A-28



BATCH 7364209580



AVIALL

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS. PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 85391

PART NUMBER: AN6-36A

REV: 3

LOT NUMBER: 75930

MANUFACTURED QUANTITY: 2,800

MILL HEAT NUMBER: 8198502

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 06/27/15


QUALITY ASSURANCE REPRESENTATIVE



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

PACKING SLIP

Print Date : Feb-22-2016 10:17 AM

Printed By : JFLE Print No. : 2

No. 082099

Pg:1/1

Ship To : [1]

AVIALL CENTRAL WAREHOUSE
Attn: RECEIVING DEPT.
2750 REGENT BOULEVARD
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

For : Account No. [AVIALL-DALLA]

AVIALL
Attn: SEDRICK CLARK
2700 Regent Blvd
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

S.O. No. : 057281	Our Ref :	Domestic AW :
Cust P.O. : 0045341480	Your Ref :	Int'l AWB :
Picked On : Feb-16-2016	Spec Inst :	Origin :
Shipped On : Feb-19-2016	Contract :	Transpor :
Ship Via : DROP OFF	Lic No. :	Nationali :
F.O.B. : DESTINATION	Expires :	Trip/Flig :
Terms : NET 30		
Our Contact : MERLE LANGTON		

Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
1	MS21042L3 UID374709 Rev: 1 Note: NUT: SELF-LKG,ST PG:100 PER LOT #: 185264-1 REV: 1 MFG: FITZ MFG. CAGE CODE: 05DT8 MATL TYPE: AMS6322 Country Of Origin:USA UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL., GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFARS/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.	DF1	60,000.00	40,000.00 EA	20,000.00	

ITEM MS21042L3=28



BATCH 7364198329



BHORTON
02/26/16

Copyright (c) PENTAGON 2000 Software, Inc.
Ver: 3.00 C2 Build 62

CUSTOMER COPY



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

CERTIFICATE OF CONFORMANCE

Print Date : Feb-22-2016 10:18 AM

Printed By : JFLE Print No. : 3

No. : 082099

Pg:1/1

Sold To : Account No. [AVIALL-DALLA]

Shipped To :

AVIALL
Attn: Email invoice to apinvoices@aviall.com, ACCOUNTS PAYABLE
2700 Regent Blvd
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1426

AVIALL CENTRAL WAREHOUSE
RECEIVING DEPT.
2750 REGENT BOULEVARD
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

S.O. No. : 057281	Our Ref :	Domestic AW:
Customer P. : 0045341480	Your Ref :	Int'l AWB:
Issued Date : Feb-16-2016	Spec Inst :	Origin :
	Contract :	Transpor:
Ship Via : DROP OFF	License No. :	Nationali:
F.O.B. : DESTINATION	Expires :	Trip/Flig :
Shipped Dat : Feb-19-201	Terms : NET 30	
Our Contact : MERLE LANGTON		

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
1	MS21042L3 Country Of Origin USA Pick Ticket / Packing Slip No. : 082099 Rev: 1 Note: NUT: SELF-LKG,ST PG:100 PER LOT #: 185264-1 REV: 1 MFG: FITZ MFG. CAGE CODE: 05DT8 MATL TYPE: AMS6322	DF1	60,000.00EA (Qty. Back 20,000.00)	40,000.00		

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2000 Software, Inc.
Ser # [2000.21078] Ver 6.00 02 Jul 07

ORIGINAL (COPY.)

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249
 13402 BEACH AVE., MARINA DEL REY, CA. 90292
 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616
 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 77003A
 SOLD TO: AERO-GLEN INTERNATIONAL LLC
 P O BOX 878
 GRAPEVINE, TX 76099-0878
 USA

SHIP TO:
 AERO-GLEN INTERNATIONAL, LLC
 1160 MUSTANG DRIVE STE 300
 DFW INTERNATIONAL AIRPORT, TX 75261
 USA

AFI
Aircraft Fasteners
 INTERNATIONAL, LLC
 w . a i r c r a f t f a s t . c o m

SALES ORDER NO.		CUSTOMER P.O. NO.		BUYER	SALESPERSON	TERMS
1049055		031770		MERLE LANGTON	ERIN	1%10 NET45
DATE ORDERED	DATE SHIPPED	SHIP VIA / FOB / SPECIAL INSTRUCTIONS				
10-27-15		UPS Ground - Collect Acct #: 756163				
LINE	ORDERED	PART NUMBER/DESCRIPTION/LOT NO		SHIPPED	NOTES	
1	200,000	FIH30A3 FITZ, LOCKNUT 10-32 Cust Part #: MS21042L3 50,000 PCS CTL# 85015-01-006 MFG LOT # 185264-1 Country of Origin: USA MFG: FITZ AEROSPACE Inspection Report #: 13357 9,000 PCS CTL# 85015-01-007 MFG LOT # 187994-1 Country of Origin: USA MFG: FITZ AEROSPACE Inspection Report #: 13358 41,000 PCS CTL# 85015-01-008 MFG LOT # 187993-1 Country of Origin: USA MFG: FITZ AEROSPACE Inspection Report #: 13359		100,000	Ship: 100,000 Date: 03-09-16 IAW DFARS 252.225-7014 ALT 1	
		PC - PHYSICAL /CHEMICAL CERTIFICATION				

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS.
 NO RETURNS ACCEPTED WITHOUT AUTHORIZATION.
 NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -
 DO NOT MIX LOTS

PAGE: 1 of 2

Continued...


AVIALE TRUE CERTIFIED COPY 10/04/21/2016 Ship # 8003016230 Line: 100 7364198329 Qty: 600 CPO: 32098

13402 BEACH AVE., MARINA DEL REY, CA. 90292
TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616
D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 77003A
SOLD TO: AERO-GLEN INTERNATIONAL LLC
P O BOX 878
GRAPEVINE, TX 76099-0878
USA

SHIP TO:
AERO-GLEN INTERNATIONAL, LLC
1160 MUSTANG DRIVE STE 300
DFW INTERNATIONAL AIRPORT, TX 75261
USA

AFI
Aircraft Fasteners
INTERNATIONAL, LLC
1160 Mustang Drive Ste 300
Ft Worth, TX 76116
www.aircraftfast.com

SALES ORDER NO.		CUSTOMER P.O. NO.		BUYER	SALESPERSON	TERMS
1049055		031770		MERLE LANGTON	ERIN	1%10 NET45
DATE ORDERED	DATE SHIPPED	SHIP VIA/FOB/SPECIAL INSTRUCTIONS				
10-27-15		UPS Ground - Collect Acct #: 756163				
LINE	ORDERED	PART NUMBER/DESCRIPTION/LOT NO.	SHIPPED	NOTES		
				CERTIFICATE OF CONFORMANCE All inventory is purchased and maintained with manufacturer's lot number traceability, unless otherwise specified, with documentary evidence in the form of certification of conformance and/or physical and chemical test reports on file, available for inspection, attesting that items have been manufactured in accordance with all applicable standards and specifications. Parts are free of debris, packaged in a clean environment that prevents contamination. Material as shipped was free from mercury contamination while in our possession. AIRCRAFT FASTENERS INTERNATIONAL, LLC, disclaims any responsibility for manufacturing or functional defects and hereby limits express or implied warranties to liability for replacement of this material, with responsibility not to exceed the invoice amount. When exporting this product you must comply with US Export Administration regulations. Any diversion to these regulations contrary to U.S law is prohibited.  QUALITY MANAGER		

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS.
NO RETURNS ACCEPTED WITHOUT AUTHORIZATION.
NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -
DO NOT MIX LOTS

PAGE: 2 of 2

PACKING SLIP / CERTIFICATION

10:20 am - 242380-2

6625 Iron Horse Blvd. - North Richland Hills, TX 76180
Phone (817) 281-8816 - Fax (817) 498-6974

0 1 3 3 5 6

B
I
L
L

AIRCRAFT FASTENERS INT'L LLC
13402 BEACH AVENUE

MARINA DEL REY, CA 90292

SHIP AIRCRAFT FASTENERS INT'L LLC
13402 BEACH AVENUE
MARINA DEL REY, CA 90292

74918	07/30/2015	Net 30	85015	UPS GROUND

002	200000	200000	MS21042L3	Rev. 1	EACH	0.00
			Test Reports Full			
			THIS MATERIAL IS DFAR252.225-7009 ALT I COMPLIANT.			
Plant #	10234410	Qty: 8532	FMI Lot#: 176143-1	Bin: 06-23-03-10	013355	
"	10286930	Qty: 54690	FMI Lot#: 185264-1	Bin: SHIPPING	013357	
"	10315220	Qty: 95440	FMI Lot#: 187994-1	Bin: SHIPPING		
"	10315220	Qty: 41338	FMI Lot#: 187993-1	Bin: SHIPPING		
UPS ACCT # 917822						
150 LBS SHIP FEDEX						
ACCT # 090467840						

<input checked="" type="checkbox"/> Mfg C of C	<input checked="" type="checkbox"/> Finish Certs	<input type="checkbox"/> Mercury	<input type="checkbox"/> Test Reports Y N
<input checked="" type="checkbox"/> FAI	<input checked="" type="checkbox"/> Heat Treat Certs	<input type="checkbox"/> Pulled	<input type="checkbox"/> Boxed
<input type="checkbox"/> Chem & Phys	<input checked="" type="checkbox"/> NDT	<input type="checkbox"/> Bagged	<input type="checkbox"/> Shipped

Certificate of Conformance

FMI certifies that the materials, processes and parts furnished in this shipment were produced in accordance with all applicable drawings, specifications and purchase order requirements. Inspection and/or test reports indicating conformance are on file and available for examination. All claims for error, shortage or damage must be made within 10 days after receipt of goods. No goods to be returned without FMI issued Return Authorization Number (RMA). We do not assume financial responsibility or liability from the use of products sold, other than the replacement value of products sold.

Cathy Clark

Rolando Espinoza

CF 801-3 REV.5 6/8/2012

CERTIFICATION

**Fitz Aerospace****Certificate of Quality Conformance**

To: Aircraft Fasteners Int'l LLC
13402 Beach Avenue
Marina Del Ray, CA 90292

Part Number: MS21042L3
Lot Number: 185264-1
P.O. Number: 85015
Quantity: 54,690

Acceptance Tests per NASM25027 Rev. 1/NASM21042 Rev. 1**Material:**

Raw Material Type: 8740 Alloy Certification Date: 02/19/2014
Raw Material Conforms To: AMS6322 (see attached Certificate of Conformance)
Fitz P.O. Number: 4037624 Heat Number: 10286930
Vendor: Wire Tech, Inc. Material Diameter: .278/.280
Thread Specification Number: .1900-32 UNJF 3B per AS8879
(System 22 gaging for .1900-32 and larger)

Finish:

Finish Type: Cadmium Plate AMS-QQ-P-416 Rev. C and 23 Hour Bake
Lubricant Type: Everlube 620C Dry Film Lube per AS5272 Rev. E

Axial Strength:

Required LBS. Minimum: 3,470 All sample pieces tested meet or exceed the
Tensile Strength Range: 4,089 - 4,139 minimum requirements.
Sample Size: 15
Hardness Range: HRC 41.0 - 41.6 Maximum is HRC 49 013357

**Workmanship:**

Conforms dimensionally to NASM25027 Rev. 1/NASM21042 Rev. 1 standard.
Bearing Surface Squareness as specified per NASM25027 Rev. 1

Torque Test

Required Torque: 2 - 18 in lbs All sample pieces tested meet or exceed the
Torque Range: 3.0 - 11.5 requirements.
Sample Size: 27

23 Hour Stress Embrittlement

Conforms to NASM25027 Rev. 1
Sample Size: 20

Discontinuities:

Within limits per NASM25027 Rev. 1 Specification: ASTM E 1444-12
Sample Size: 32
Accepted: 32

This document certifies that the above parts have been tested in accordance with the listed specifications. All applicable techniques and records are on file and available for review.

This certification applies only to the item(s) identified above and shall not be reproduced, except in full, without written approval of Fitz Aerospace.

Kimberly Engstrom

Authorized Quality Representative
Kim Engstrom

7/29/2015



CUST PO NO 0045390763 SO NO 525597
 FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
 POST FALLS, ID 83854



CUST PO NO 0045390763 SO NO 525597
 FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
 POST FALLS, ID 83854



CUST PO NO 0045390763 SO NO 525597
 FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
 POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
 AVIALL CENTRAL WAREHOUSE
 2750 REGENT BOULEVARD
 DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
 AVIALL CENTRAL WAREHOUSE
 2750 REGENT BOULEVARD
 DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
 AVIALL CENTRAL WAREHOUSE
 2750 REGENT BOULEVARD
 DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
 ATTN. AP DEPT.
 P.O. BOX 619048
 DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

0045390763

BILL TO NO.

SHIP TO NO.

ASI007

PAGE

1

BUYER NAME & PHONE NO.

EDI

PACKING SLIP
INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		4500	4500	84582/74402 AN4-17A	0045390763	ASI007	BOLT bx32-35 = 38
2		1	1	S/C MANUFACTURE CERT	0045390763	ASI007	CERTIFICATION
3		1	1	USA COUNTRY OF ORIGIN	0045390763	ASI007	
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
				LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

DMCEVOY
03/16/16

ITEM AN4-17A = 28



BATCH 7384212718



CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE MAR 09 2016

QUALITY CONTROL MANAGER

Handwritten signature

DATE SHIPPED

SHIPPED VIA

CV

SIGNATURE - MERCHANDISE RECEIVED

X

TOTAL WT NO CTNS
 P = PARTIAL
 C = COMPLETE
 CC = CONSIDER COMPLETE
 CX = CANCEL

AVIALL - TRUE CERTIFIED COPY 04/27/2016 Ship # 8003016230-Printer:30

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

[Handwritten signature]



CUST PO NO SO NO
*0045329195 518718
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045329195 518718
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045329195 518718
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN: AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

*0045329195

BUYER NAME & PHONE NO.

EDI

BILL TO NO.

SHIP TO NO.

PAGE

ASI007 1

PACKING SLIP

INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		500	500	85997/76990 AN5-23A	*004532919	ASI007	BOLT b x l d = 3/6
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	S/C MANUFACTURE CERT	*004532919	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	USA COUNTRY OF ORIGIN	*004532919	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

ITEM AN5-23A-28



BATCH 7364201282



JJOHNSON
03/02/16

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE

FEB 24 2016

QUALITY CONTROL MANAGER

Samuel R. Johnson

DATE SHIPPED

SHIPPED VIA

CV

SIGNATURE * MERCHANDISE RECEIVED

X

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL


TOTAL WT

NO CTNS

AVIALL TR

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS. PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.



MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 85997

PART NUMBER: AN5-23A

REV: 3

LOT NUMBER: 76990

MANUFACTURED QUANTITY: 5,500

MILL HEAT NUMBER: 10304220

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION


MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 09/21/15


QUALITY ASSURANCE REPRESENTATIVE



PACKING SLIP

Aero-Glen International, LLC

1702 Minters Chapel Ste 116
Grapevine TX, 76051

Tel: 817-328-6600

Fax: 817-328-6607

aeroglen@aeroglen.com

CAGE CODE 9V172

REGISTERED

AS9100/AS9120-A/ISO9001

PR# 14-2127, 14-2128R

Print Date : Jul-25-2014 1:58:34 PM

Printed By : GL Print No. : 2

No. 062897

Pg:1 of 1

Ship To : [1]

AVIALL CENTRAL WAREHOUSE
Attn: RECEIVING DEPT.
2750 REGENT BOULEVARD
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

For : Account No. [AVIALL-DALLA]

AVIALL
Attn: SEDRICK CLARK
2700 Regent Blvd
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

S.O. No. : 046644	Our Ref :	Domestic AWB :
Cust P.O. : 0045074470	Your Ref :	Int'l AWB :
Picked On : Jul-25-2014	Spec Inst :	Origin :
Shipped On :	Contract :	Transport :
Ship Via : DROP OFF	Lic No. :	Nationality:
F.O.B. : DESTINATION	Expires :	Trip/Flight:
Terms : NET 30		
Our Contact : MERLE LANGTON		

Line	P/N & Description	Cnd	Ordered	Qty Shipped	Back Order	Packaging
1	MS27039-5-08 UID: 146608 Rev:F Note: SCREW: PAN HD,ST PG: 1 LOT #:L3958 REV:F MFG:PILGRIM SCREW	ND1	84.00	84.00 EA	0.00	
UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL., GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFARS/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.						

ITEM MS27039-5-08=28



BATCH 7363766671



BHORTON
07/30/14

Copyright (c) PENTAGON 2000 Software, Inc.

CUSTOMER COPY



Certificate of Conformance

Aero-Glen International, LLC

1702 Minters Chapel Ste 116

Grapevine TX, 76051

Tel: 817-328-6600

Fax: 817-328-6607

aeroglen@aeroglen.com

CAGE CODE 9V172

REGISTERED

AS9100/AS9120-A/ISO9001

PR# 14-2127, 14-2128R

Print Date : Jul-25-2014 1:58:42 PM

Printed By : GL Print No. : 3

Sold To : Account No. [AVIALL-DALLA]		No. : 062897	Pg: 1
Shipped To :			
AVIALL Attn: Email invoice to apinvoices@aviall.com, ACCOUNTS PAYABLE 2700 Regent Blvd DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1426		AVIALL CENTRAL WAREHOUSE Attn: RECEIVING DEPT. 2750 REGENT BOULEVARD DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1994	
S.O. No. : 046644	Our Ref :	Domestic AWB :	
Customer P.O. : 0045074470	Your Ref :	Int'l AWB :	
Issued Date : Jul-25-2014	Spec Inst :	Origin :	
	Contract :	Transport :	
Ship Via : DROP OFF	License No. :	Nationality :	
F.O.B. : DESTINATION	Expires :	Trip/Flight :	
Shipped Date :	Terms : NET 30		
Our Contact : MERLE LANGTON			

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Price	Amount
1	MS27039-5-08 Pick Ticket / Packing Slip No. : 062897 UID#: 146608 Rev:F Note: SCREW: PAN HD,ST PG: 1 LOT # :L3958 REV :F MFG :PILGRIM SCREW	ND1	84.00 EA	84.00 (Qty. Back 0.00)		

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND ARE FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2000 Software, Inc.

ORIGINAL (COPY.)



PILGRIM Screw Corporation

MANUFACTURERS SINCE 1941

SOLD TO DENCO INDUSTRIES 2605 CENTRAL STREET GRAND PRAIRIE, TX 75050	CERTIFICATE TYPE <input type="checkbox"/> CHEMICAL <input checked="" type="checkbox"/> CHEMICAL & PHYSICAL <input type="checkbox"/> Q.A.P. #1075 <input type="checkbox"/> EQ001	MANUFACTURED BY CAGE CODE #1GP79 PILGRIM SCREW CORP. 2875 W. FRYE ROAD CHANDLER, AZ 85224 USA TELEPHONE (480) 917-2500 FAX (480) 917-9979
--	---	---

NOMENCLATURE/ITEM DESCRIPTION		DATE OF CERTIFICATION	DATE OF MANUFACTURE
5-16-24 UNF-3A X .758 PHILLIPS PAN HEAD		02/29/00	07/11/95
SPECIFICATION/PART NO.		CONTRACT/PO NO.	
MS27039-5-08 REV F		37581	
NSN	PROCUREMENT SPEC.	INVOICE NO.	
	MIL-S-7839B, AMD 3	PAC13355	
MATERIAL SPEC.	HEAT TREAT SPEC.	LOT/JOB NO.	PURCHASE QUANTITY
MIL-S-6050A, AMD 2	MIL-H-6875H, AMD 1	L3958	100
FINISH SPEC.		THREAD SPECIFICATION	
QQ-P-416F, AMD 1, TYPE II, CLASS 2		FED-STD-H28/2B/20B (22)	

% CHEMICAL COMPOSITION OF METAL, BASED ON MILL REPORT OF RAW MATERIAL															
MATERIAL GRADE				SUPPLIER				DIA.				MILL HEAT NO.			
UNS G86300				BROUGH INDUSTRIES				.310				25643			
C	Mn	P	S	Si	Ni	Cr	Mo	Cu	N	Al	Zn	Fe	Pb	Co	
.31	.80	.013	.010	.25	.44	.54	.19	.19							

QA TEST SUMMARY		OTHER TESTS . . .
HARDNESS	ULTIMATE TENSILE LBS/P.S.I.	
27 - 32 HRC	8453 LBS / 145,741 PSI	
MAGNETIC PERMEABILITY	YIELD LBS/P.S.I.	
N/A	N/A	
20 max (at = 10) for a field strength of H = 200 oersteds		
TORQUE IN/LBS	SHEAR LBS/P.S.I.	
N/A	N/A	
		DECARBURIZATION
		HEAD STRUCTURE
		MAGNETIC PARTICLE INSP.

Test data is on file for a period of not less than 10 years from date of manufacture or as agreed upon in the contract. This lot has been produced, sampled, tested, inspected, and marked in accordance with all contract and specification requirements, and the material complies with all of the contract and specification requirements. The parts and/or material specified herein were not in contact with Mercury while in our plant or in our possession. Class 1 ozone-depleting substances included in the clean air amendments of 1990 have not been used in the design, manufacture, test, operation, repair, or maintenance of this item. Electronically counted quantity is within $\pm 1\%$ specified.

Document No. PSORC001, Revision 0
 Issue date 1/01/96, Revision date 1/01/96
 Prepared by M.H. Bernier, Approved by G.E. Grove

by C. Williams
 VICE MANAGER



FROM: BILD INDUSTRIES, INC.
800 CLEARWATER LOOP
POST FALLS, ID 83854



FROM: BILD INDUSTRIES, INC.
800 CLEARWATER LOOP
POST FALLS, ID 83854



FROM: BILD INDUSTRIES, INC.
800 CLEARWATER LOOP
POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN. AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

0045390110

BILL TO NO.

SHIP TO NO. PAGE

ASI007 1

BUYER NAME & PHONE NO.

EDI

INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		450	450	84873/75193 AN6-35A	0045390110	ASI007	BOLT 6x12-13=31
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	S/C MANUFACTURE CERT	0045390110	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	COUNTRY OF ORIGIN	0045390110	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE

MAR 09 2016

QUALITY CONTROL MANAGER

Rachel K. [Signature]

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

DATE SHIPPED

SHIPPED VIA

SIGNATURE - MERCHANDISE RECEIVED

X

DMCEVOY
03/16/16

ITEM AN6-35A=28



BATCH 7364213002



AVIALL

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

Handwritten signature

MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 84873

PART NUMBER: AN6-35A

REV: 3

LOT NUMBER: 75193

MANUFACTURED QUANTITY: 3,000

MILL HEAT NUMBER: 8198502

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4

Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 06/30/15


QUALITY ASSURANCE REPRESENTATIVE



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

PACKING SLIP





Print Date : Apr-12-2016 10:11 AM

Printed By : CGON Print No. : 2

No. 083959

Pg:1/2

Ship To : [1] AVIALL CENTRAL WAREHOUSE Attn: RECEIVING DEPT. 2750 REGENT BOULEVARD DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1994		For : Account No. [AVIALL-DALLA] AVIALL Attn: SEDRICK CLARK 2700 Regent Blvd DFW Airport, TX 75261 UNITED STATES Tel. : 972-586-1994	
S.O. No. : 060232	Our Ref :	Domestic AW :	
Cust P.O. : 0045410370	Your Ref :	Int'l AWB :	
Picked On : Apr-07-2016	Spec Inst :	Origin :	
Shipped On : Apr-04-2016	Contract :	Transpor :	
Ship Via : DROP OFF	Lic No. :	Nationali :	
F.O.B. : DESTINATION	Expires :	Trip/Flig :	
Terms : NET 30			
Our Contact : MERLE LANGTON			

Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
1	MS21043-4 UID373925  Rev: 3 Note: NUT: SELF-LKG,CRES PG:100 PER LOT #: M026521-000 REV: 3 MFG: ALCOA/KAYNAR CAGE CODE: 66776 MATL TYPE: AMS5731 Country Of Origin:MEXICO	DF1	25,000.00	5,700.00 EA	19,300.00	
1	MS21043-4 UID373926  Rev: 3 Note: NUT: SELF-LKG,CRES PG:100 PER LOT #: M026522-000 REV: 3 MFG: ALCOA/KAYNAR CAGE CODE: 66776 MATL TYPE: AMS5731 Country Of Origin:MEXICO	DF1		6,100.00 EA	13,200.00	
<div>ITEM MS21043-4 = 28  BATCH 7364236044  BHORTON 04/14/16</div>						
UNLESS NOTED ON THE FACE HEREOF, ANY AND ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. MAY NOT BE DFARS 252.22-7014 ALT. 1 COMPLIANT. AERO-GLEN, INTL.,						

Copyright (c) PENTAGON 2000 Software, Inc.

Ver 9.05.03 Build 29

CUSTOMER COPY



Pick Ticket No. 083959 Page:2/2

Line	P/N & Description	Cn	Ordered	Qty Shipped	Back Order	Packaging
	GRAPEVINE, TX., USA, WILL NOT BE HELD IN VIOLATION OF THE DFARS/SPECIALTY MATERIAL REQUIREMENT. THE COMMODITIES SOLD BY AERO-GLEN, INTL., MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH ALL U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED.					



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

CERTIFICATE OF CONFORMANCE

Print Date : Apr-12-2016 10:11 AM

Printed By: CGON Print No. : 3

No. : 083959

Pg: 1/2

Sold To : Account No. [AVIALL-DALLA]

AVIALL
Attn: Email invoice to apinvoices@aviall.com, ACCOUNTS PAYABLE
2700 Regent Blvd
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1426

Shipped To :

AVIALL CENTRAL WAREHOUSE
INTE RECEIVING DEPT.
2750 REGENT BOULEVARD
DFW Airport, TX 75261
UNITED STATES
Tel. : 972-586-1994

S.O. No. : 060232	Our Ref :	Domestic AW:
Customer P. : 0045410370	Your Ref :	Int'l AWB:
Issued Date : Apr-07-2016	Spec Inst :	Origin :
	Contract :	Transpor:
Ship Via : DROP OFF	License No. :	Nationali:
F.O.B. : DESTINATION	Expires :	Trip/Flig :
Shipped Dat : Apr-04-201	Terms : NET 30	
Our Contact : MERLE LANGTON		

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
1	MS21043-4 Country Of Origin MEXICO UID#373925 Pick Ticket / Packing Slip No. : 083959 Rev: 3 Note: NUT: SELF-LKG,CRES PG:100 PER LOT #: M026521-000 REV: 3 MFG: ALCOA/KAYNAR CAGE CODE: 66776 MATL TYPE: AMS5731	DF1	25,000.00EA (Qty. Back 19,300.00)	5,700.00		
1	MS21043-4 Country Of Origin MEXICO UID#373926 Pick Ticket / Packing Slip No. : 083959 Rev: 3 Note: NUT: SELF-LKG,CRES PG:100 PER LOT #: M026522-000	DF1		6,100.00 (Qty. Back 13,200.00)		

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION ACT. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

Continued on next page(s).



AERO-GLEN
INTERNATIONAL LLC
COMMITMENT | EXECUTION | RESULTS

1160 MUSTANG DR. SUITE 300
DFW AIRPORT, TX 75261
TEL: (817) 328-6600 FAX (972) 456-1015
WWW.AEROGLEN.COM
CAGE CODE 9V172
ISO9001 / AS9100 / AS9120 REGISTERED
PRI CERTIFICATION: 14-2127, 14-2128R

CERTIFICATE OF CONFORMANCE

Pick Ticket No. 083959 Page:2/2

Line	P/N & Description	Cnd	Qty Ordered	Shipped	Unit Sell Price	Amount
	REV: 3 MFG: ALCOA/KAYNAR CAGE CODE: 66776 MATL TYPE: AMS5731					

THIS IS TO CERTIFY THAT THE MATERIAL(S) FORWARDED TO YOU MEET ALL THE PO, DRAWING, CHEMICAL AND PHYSICAL REQUIREMENTS AND FREE OF ANY FOREIGN OBJECT DEBRIS. AERO-GLEN, INTL. DISCLAIMS ANY RESPONSIBILITY FOR ALL MANUFACTURING OR ANY FUNCTIONAL DEFECTS AND HEREBY LIMITS EXPRESSED OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING THE MATERIAL OR REFUNDING THE INVOICE VALUE OF MATERIAL, SO ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATION OF LIABILITY. PRODUCTS HAVE NOT BEEN INTRODUCED TO MERCURY CONTAMINATION WHILE AT OUR FACILITY. THE COMMODITIES SOLD BY AERO-GLEN, INTL MUST BE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH U.S. EXPORT LAWS. ANY DIVERSION CONTRARY TO U.S. LAW IS PROHIBITED. ANY OR ALL MATERIALS/PARTS SUPPLIED ON THIS S.O./P.O. SHALL BE DFARS 252.225-7014 ALTERNATE 1 COMPLIANT AS NOTED ON A LINE ITEM BASIS.

TYSON KAY, V.P.

Copyright (c) PENTAGON 2000 Software, Inc.
Ser # [A00021078] Ver 9.00.03 Build 29

ORIGINAL (COPY.)

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249
 13402 BEACH AVE., MARINA DEL REY, CA. 90292
 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616
 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 77003A
 SOLD TO: AERO-GLEN INTERNATIONAL LLC
 P O BOX 878
 GRAPEVINE, TX 76099-0878
 USA

SHIP TO:
 AERO-GLEN INTERNATIONAL, LLC
 1160 MUSTANG DRIVE STE 300
 DFW INTERNATIONAL AIRPORT, TX 75261
 USA

AFI
Aircraft Fasteners
INTERNATIONAL, LLC
 w w . a i r c r a f t f a s t . c o m

SALES ORDER NO.		CUSTOMER P.O. NO.	BUYER	SALESPERSON	TERMS
1044480-001		031682	MERLE LANGTON	ERIN	1%10 NET45
DATE ORDERED	DATE SHIPPED	SHIP VIA / FOB / SPECIAL INSTRUCTIONS			
10-13-15		FedEx Ground - Collect Acct #: 567863034			
LINE	ORDERED	PART NUMBER/DESCRIPTION/LOT NO.	SHIPPED	NOTES	
1	12,500	H41-4 ALCOA/FAIRCHILD/KAYNAR Cust Part #: MS21043-4 6,389 PCS CTL# 84169-04-001 MFG LOT # M026521-000 Country of Origin: MEXICO MFG: ALCOA FASTENERS SYSFULLERTON/ KAYNAR Inspection Report #: 12118 6,111 PCS CTL# 84169-05-001 MFG LOT # M026522-000 Country of Origin: MEXICO MFG: ALCOA FASTENERS SYSFULLERTON/ KAYNAR Inspection Report #: 12141	12,500	IAW DFARS 252.225-7014 ALT 1	
		PC - PHYSICAL /CHEMICAL CERTIFICATION			

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS.
 NO RETURNS ACCEPTED WITHOUT AUTHORIZATION.
 NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -
 DO NOT MIX LOTS

PAGE: 1 of 2

AVIAL-TRUE CERTIFIED COPY: 10/21/2016 Ship #: 8003016230 Line: 110 7364236044 Qty: 300 CPO: 32098

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249
 13402 BEACH AVE., MARINA DEL REY, CA. 90292
 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616
 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. 77003A
 SOLD TO: AERO-GLEN INTERNATIONAL LLC
 P O BOX 878
 GRAPEVINE, TX 76099-0878
 USA

SHIP TO:
 AERO-GLEN INTERNATIONAL, LLC
 1160 MUSTANG DRIVE STE 300
 DFW INTERNATIONAL AIRPORT, TX 75261
 USA

AFI

Aircraft Fasteners

INTERNATIONAL, LLC

www.aircraftfast.com

SALES ORDER NO.	CUSTOMER P.O. NO.	BUYER	SALESPERSON	TERMS
1044480-001	031682	MERLE LANGTON	ERIN	1%10 NET45
DATE ORDERED	DATE SHIPPED	SHIP VIA / FOB / SPECIAL INSTRUCTIONS		
10-13-15		FedEx Ground - Collect Acct #: 567863034		

LINE	ORDERED	PART NUMBER/DESCRIPTION/LOT NO	SHIPPED	NOTES
				<p>CERTIFICATE OF CONFORMANCE</p> <p>All inventory is purchased and maintained with manufacturer's lot number traceability, unless otherwise specified, with documentary evidence in the form of certification of conformance and/or physical and chemical test reports on file, available for inspection, attesting that items have been manufactured in accordance with all applicable standards and specifications. Parts are free of debris, packaged in a clean environment that prevents contamination. Material as shipped was free from mercury contamination while in our possession. AIRCRAFT FASTENERS INTERNATIONAL, LLC. disclaims any responsibility for manufacturing or functional defects and hereby limits express or implied warranties to liability for replacement of this material, with responsibility not to exceed the invoice amount. When exporting this product you must comply with US Export Administration regulations. Any diversion to these regulations contrary to U.S law is prohibited.</p> <p><i>N. Valderama</i></p> <p>QUALITY MANAGER</p>

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS.
 NO RETURNS ACCEPTED WITHOUT AUTHORIZATION.
 NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -
 DO NOT MIX LOTS

PAGE: 2 of 2

Alcoa Fastening Systems & Rings



Packing Slip



Packing Slip: 9948115273

Page: 1

Bill To: 50045
AIRCRAFT FASTENERS INC
PO BOX 66249
LOS ANGELES CA 90066-0249
USA

Ship To: (1)
AIRCRAFT FASTENERS INC
13402 BEACH AVE
MARINA DEL REY CA 90292
USA

012118



From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Notice to Subsequent Purchaser or Repacker.
These articles are imported. The requirements of 19 U.S.C. 1304 & CFR part 134 provide that the articles or their containers must be marked in a conspicuous place as legibly, indelibly & permanently as the nature of the article or container will permit, in such a manner as to indicate to an ultimate purchaser in the United States, the English name of the country of origin of the article.

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
03/28/15	F498065	84169	TRUCK		

Line/Rel	Item	U/M	Qty. Ordered	Qty. To Pack
4-1	AAT880 H41-4	EA	175,000	92,735

C/I: MS21043-4
PO Item #: 2

Cust Date: 04/01/15
Kay Date: 03/25/15

*** TSO C-148 APPVD PART. TSO LABEL REQ'D ***

Lot: M026521-000

COO:MEXICO

Waybill:

ECCN:EAR99 Schedule-B Number:7318.16.0000

HTS-Code:7318.16.0060

The export classification appears above. You are responsible for all related export license requirements.

FULL CERTS REQUIRED
SHIP VIA: UPS COLLECT / ACCT # 917822
MATERIAL COMPLIES WITH DFARS 252.225.701
4 PREFERENCE FOR SOMESTIC SPECIALTY

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

Michele M. Varela
MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 66776 • Rosan Products: Cage code 66776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

**Alcoa
Fastening
Systems & Rings**



Packing Slip



Packing Slip: 9948115273

Page: 2

Bill To: 50045
AIRCRAFT FASTENERS INC
PO BOX 66249
LOS ANGELES CA 90066-0249
USA

Ship To: (1)
AIRCRAFT FASTENERS INC
13402 BEACH AVE
MARINA DEL REY CA 90292
USA



012118

From:
ALCOA FASTENING SYSTEMS & RINGS
AEROSPACE PRODUCTS
FULLERTON OPERATIONS
800 SOUTH STATE COLLEGE
FULLERTON CA 92831
USA

Order Contact:

Pack Date	Order #	Cust PO	Ship Via	Weight	Pkgs #
03/28/15	F498065	84169	TRUCK		

Line/Rel	Item	U/M	Qty Ordered	Qty To Pack
	METALS ALT 1			

CERTIFICATION

CERTIFICATE OF CONFORMANCE

This is to certify that all items noted above were produced in conformance with the contract, drawing specifications, and other applicable documents. All required process certifications, chemicals and physical test reports are on file subject to examination. This document must not be reproduced except in full and relates only to the items tested.

MICHELE M. VARELA
Quality Manager
Fullerton Operations

ALCOA GLOBAL FASTENERS, INC.

Kaynar Products: Cage Code 15653 • Eagle Products: Cage Code 68776 • Rosan Products: Cage code 68776

ALL CLAIMS REGARDING THIS ORDER MUST BE REPORTED TO SELLER PROMPTLY. CLAIMS FOR CREDIT OR REPLACEMENT OF PARTS MAY BE LIMITED TO THOSE PARTS FOR WHICH TRACEABILITY HAS BEEN MAINTAINED BY THE BUYER. THE SELLER'S MANUFACTURING LOT IDENTIFICATION NUMBER AND RETURN MERCHANDISE AUTHORIZATION (RMA) NUMBER MUST ACCOMPANY ALL RETURNS. ANY CLAIM BASED ON AN ALLEGED DISCREPANCY IN QUANTITY, QUALITY, ETC. BETWEEN THE GOODS ACTUALLY SHIPPED AND/OR DELIVERED UNDER THESE DOCUMENTS AND THE DESCRIPTION THEREOF IN THESE DOCUMENTS, MUST BE MADE IN WRITING TO SELLER NOT LATER THAN NINETY (90) DAYS AFTER THE SHIPPING DATE APPEARING HEREON. FOR ITEMS CERTIFIED TO BPS-N-70, ALLOY VERIFICATION HAS BEEN PERFORMED ON PARTS WITH A DATE OF MANUFACTURE ON OR AFTER JANUARY 1, 2001. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW.

CUSTOMER'S COPY

**ETA Global Inc.**P.O. BOX 259
PALESTINE, TX 75802-0259PH: (903)729-3131
Quality FAX: (903)729-1217
www.etaglobal.com**Packing Slip**

342695-000

Page 1 of 1

Ship Date:

ISO9001:2008
AS9100 Rev C
Certificate NO. C0023281

Sold to: 8418

Ship to:

AVIALL SERVICES (CONTRACT)
ATTN: ACCOUNTS PAYABLE
PO BOX 619048
DALLAS, TX 75261
UNITED STATES

ITEM NAS1149D0463J=28



BATCH 7364168531

AHILL
01/19/16

Customer P.O.		Department	Message	
45331969		500	FEDEX 0752-6857-2	
Payment terms		Salesper. 2	B P	Ship via
1%10NET30		#####	Y Y	Fed X grnd
Ln	Ship Quantity	UOM	Item / Description	

0050 36000 EACH NAS1149D0463J
WASHER, FLAT
ALUMINUM ALLOYControl #: 49344700-02-01 27200
Mfg Lot #: 6638-1/29/15
MFG: MOELLER MFG & SUPPLY INC
Country of origin: UNITED STATES
Control #: 49493400-03-01 8800
Mfg Lot #: C145768-1
MFG: SUPERIOR WASHER & GASKET CORP
Country of origin: UNITED STATES

ETA Global, Inc. certifies the products furnished on the above referenced order were manufactured in accordance with all applicable part numbers, specifications and descriptions. This statement is supported by a certificate of conformance and/or test reports on file at our facility or the place of manufacture/supply. In addition, the product listed on this packing list meets all requirements of DFARS 252.225-7009 - Restriction on Acquisition of Certain Articles Containing Specialty Metals (formerly DFARS 252.225-7014 & Alt. I (Preference for Domestic Specialty Metal)). Supporting documentation is available for review with proper notice (additional costs may be incurred).

Quality Control Authority Angela Coleman ETA #16 Date: 01/ 08/ 16

IMPORTANT NOTICE: LIMITATION OF REMEDIES: IF this product is proved to be defective, the exclusive remedy available and ETA's only obligation shall be to replace such quantity of this product which is proved to be defective or to refund the purchase price paid for this product. ALL CLAIMS FOR DEFECTIVE MATERIAL ARE WAIVED UNLESS MADE IN WRITING WITHIN 30 DAYS FROM THE DATE OF SHIPMENT.
LIMITATION OF LIABILITIES: ETA shall not be liable for any damages, including incidental and/or consequential damage, regardless of the legal theory asserted, including negligence and/or strict liability. Before using, User shall determine the suitability of the product for intended use. User assumes all risk and liability whatsoever in connection therewith. CHECK CAREFULLY - Preference must be made to our delivery receipt register number when making claims or request for adjustment. ALL RETURNS SUBJECT TO APPROVAL OF SELLER TO RETURN.
The foregoing limitation of remedies and liabilities may not be altered unless in writing signed by the President of ETA GLOBAL, INC.
Distribution/Manufacturing software provided by Rennie, Lindsey and Associates, Inc.

01-08-16 03:20 PM
Mention promo code 004189 at www.rla-assist.com/promo.html



MOELLER MFG. & SUPPLY, INC.
805 EAST CERRITOS • ANAHEIM, CA 92805
(714) 999-5551 • FAX (714) 999-5970
<http://www.moellermfg.com>
cage code: 58009

SHIPPER NO. : 76978

CERTIFICATION PACKING LIST

S
O
L
D
T
O
ETA GLOBAL, INC.
PO BOX 259
PALESTINE TX 75802-0259
Customer #: ETA

S
H
I
P
T
O
ETA GLOBAL, INC.
5500 W. OAK STREET
PALESTINE TX 75802
P.O. #: 493447

DATE ORDER REC'D.		ORDER NO.		COMMENTS		SHIPPED VIA		TERMS		DUE		
7/17/2015		493447				UPS COLLEC		1%-10/N-30		7/20/2015		
ITEM	ORDERED	SCHEDULED	SHIPPED	PART NUMBER/DESCRIPTION								NET WT.
001	2,500	2,500	2,500 RL	NAS1149E0432R REV. 6 LOT 8486- 6/18/15 FULL CERTS DFAR 252.225-7009 1,2,26,33,34,35,38,40 MAGNETIC PERMEABILITY LESS THAN 2.0 PER ASTM A342 195 BOX6 720 2,500								3,355
002	50,000	50,000	50,000 RL	NAS1149D04631 REV. 6 AN960JD416 REV. 21 LOT 6638- 1/29/15 FULL CERTS 1,2,33,34,35,38,40 705 (S) 1 BOX 788 44,000 EA 904 1 Bdg 910-A 6,000 EA 38.50 EA 5.28 EA								

1910437249
ETA CTL#: 49344700-02-01

RECEIVED JUL 23 2015

MOELLER MFG. & SUPPLY, INC. - PACKING LIST & CERTIFICATION

MANUFACTURED IN THE U.S.A.

WE CERTIFY THAT THE MATERIAL ON THIS ORDER CONFORMS IN ALL RESPECTS TO THE CURRENT APPLICABLE GOVERNMENT AND/OR MANUFACTURER'S SPECIFICATIONS.

1. ALL ITEMS ABOVE ARE MANUFACTURED IN ACCORDANCE WITH THE MATERIAL AND PROCESSING SPECIFICATIONS OF THIS ORDER. WE ALSO CERTIFY THAT THESE PARTS HAVE NOT COME IN CONTACT WITH MERCURY WHILE IN OUR POSSESSION.

2. THE GOODS COVERED BY THIS INVOICE WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938, AS AMENDED. ALL CLAIMS FOR ERRORS OR SHORTAGES MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS. NO GOODS TO BE RETURNED WITHOUT WRITTEN AUTHORIZATION. ALL CLAIMS FOR DEFECTIVE MATERIAL MUST BE FILED WITHIN 30 DAYS OF SHIPMENT TO RECEIVE CONSIDERATION. WE DO NOT ASSUME FINANCIAL RESPONSIBILITY FOR LIABILITY FROM THE USE OF PRODUCTS SOLD, OTHER THAN REPLACEMENT VALUE OF THE PRODUCTS SOLD, IF CLAIMED WITHIN THE SPECIFIED TIME LIMIT ABOVE.

3. PARTS ARE TO BE CONSIDERED ITAR EXEMPT OR DUAL PURPOSE UNLESS OTHERWISE STATED.

BY
MICHAEL CLANACHAN, QUALITY MANAGER

RECEIVED IN
GOOD CONDITION BY
DATE

7/20/15

PACKED BY

RL

BAGS

3

CARTONS

GROSS WT

49

MOELLER MANUFACTURING & SUPPLY, INC. • 805 EAST CERRITOS • ANAHEIM, CA 92805 • U.S.A.



MOELLER MFG. & SUPPLY, INC.
805 EAST CERRITOS • ANAHEIM, CA 92805
(714) 999-5551 • FAX (714) 999-5970
<http://www.moellermfg.com>
cage code: 58009



SHIPPER NO.: 76979

CERTIFICATION

PACKING LIST

SOLD TO
ETA GLOBAL, INC.
PO BOX 259
PALESTINE TX 75802-0259
Customer #: ETA

SHIP TO
ETA GLOBAL, INC.
5500 W. OAK STREET
PALESTINE TX 75802
P.O. #: 493447

DATE ORDER REC'D	ORDER NO.	COMMENTS	SHIPPED VIA	TERMS	DUE	NET WT.
7/17/2015	493447		UPS COLLEC	1%-10/N-30	7/20/2015	
ITEM	ORDERED	SCHEDULED	SHIPPED	PART NUMBER/DESCRIPTION		
003	100,000	100,000	100,000 RL	NAS1149D0416J REV. 6 AN960JD416L REV. 21 LOT 6636-4/15/14 FULL CERTS 1,2,33,34,35,38,40 	{S} 395 BOX2 788 100,000	23.35
004	5,000	5,000	5000 RL	MS20002C10 REV. 3 NASM20002 REV. 3 LOT 433-10/19/12 FULL CERTS DFAR 252.225-7009 1,2,26,33,34,35,38,40  1910437249 ETA CTL# 49344700-02-01	{S} 689 - 1 BOX 693 3,400 EA 788 1,806 1,600 EA	39.10 EA 18.45 EA

MOELLER MFG. & SUPPLY, INC. - PACKING LIST & CERTIFICATION

MANUFACTURED IN THE U.S.A.

WE CERTIFY THAT THE MATERIAL ON THIS ORDER CONFORMS IN ALL RESPECTS TO THE CURRENT APPLICABLE GOVERNMENT AND/OR MANUFACTURER'S SPECIFICATIONS.

1. ALL ITEMS ABOVE ARE MANUFACTURED IN ACCORDANCE WITH THE MATERIAL AND PROCESSING SPECIFICATIONS OF THIS ORDER. WE ALSO CERTIFY THAT THESE PARTS HAVE NOT COME IN CONTACT WITH MERCURY WHILE IN OUR POSSESSION.

2. THE GOODS COVERED BY THIS INVOICE WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF THE FAIR LABOR STANDARD ACTS OF 1938, AS AMENDED. ALL CLAIMS FOR ERRORS OR SHORTAGES MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS. NO GOODS TO BE RETURNED WITHOUT WRITTEN AUTHORIZATION. ALL CLAIMS FOR DEFECTIVE MATERIAL MUST BE FILED WITHIN 30 DAYS OF SHIPMENT TO RECEIVE CONSIDERATION. WE DO NOT ASSUME FINANCIAL RESPONSIBILITY FOR LIABILITY FROM THE USE OF PRODUCTS SOLD, OTHER THAN REPLACEMENT VALUE OF THE PRODUCTS SOLD, IF CLAIMED WITHIN THE SPECIFIED TIME LIMIT ABOVE.

3. PARTS ARE TO BE CONSIDERED ITAR EXEMPT OR DUAL PURPOSE UNLESS OTHERWISE STATED.

BY

MICHAEL CLANACHAN, QUALITY MANAGER

RECEIVED IN
GOOD CONDITION BY
DATE

PACKED BY


BAGS

CARTONS

GROSS WT.



CUST PO NO SO NO
*0045334344 519619
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045334344 519619
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045334344 519619
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN. AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

*0045334344

BILL TO NO.

SHIP TO NO.

ASI007

PAGE

1

BUYER NAME & PHONE NO.

EDI

PACKING SLIP

INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		2500	2500	85995/76997 AN5-10A	*004533434	ASI007	BOLT 1 2x45-46=42
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	S/C MANUFACTURE CERT	*004533434	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	USA COUNTRY OF ORIGIN	*004533434	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION



ITEM AN5-10A = 28

SSOMSANIT
02/10/16

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE
FEB 03 2016

QUALITY CONTROL MANAGER

Paula K. [Signature]

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

DATE SHIPPED

SHIPPED VIA

SIGNATURE - MERCHANDISE RECEIVED

X

AVIALL

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS. PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

A handwritten signature in dark ink, appearing to be "BILD INDUSTRIES", is located at the bottom center of the page.

MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 85995

PART NUMBER: AN5-10A

REV: 3

LOT NUMBER: 76997

MANUFACTURED QUANTITY: 23,000

MILL HEAT NUMBER: 8198842

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 11/06/15


QUALITY ASSURANCE REPRESENTATIVE



CUST PO NO 0045384342 SO NO 524899
FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854



CUST PO NO 0045384342 SO NO 524899
FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854



CUST PO NO 0045384342 SO NO 524899
FROM: BILD INDUSTRIES, INC. 800 CLEARWATER LOOP
POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN. AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

0045384342

BILL TO NO.

SHIP TO NO.

PAGE

ASI007

1

BUYER NAME & PHONE NO.

EDI

PACKING SLIP

INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1	A	2500	2500	85918/77053 AN3-14A	0045384342	ASI007	BOLT bx1314=21
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	S/C MANUFACTURE CERT	0045384342	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	USA COUNTRY OF ORIGIN	0045384342	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

ITEM AN3-14A=28



BATCH 7364201253



JJOHNSON
03/02/16

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222-

DATE FEB 24 2016

QUALITY CONTROL MANAGER

Patricia K. Johnson

DATE SHIPPED

SHIPPED VIA

CV

SIGNATURE - MERCHANDISE RECEIVED

X

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

AVIALL

WE HEREBY CERTIFY THAT THESE GOODS WERE PRODUCED IN COMPLIANCE WITH ALL APPLICABLE REQUIREMENTS OF SECTIONS 6, 7, AND 12 OF THE FAIR LABOR STANDARDS ACT OF 1938, AS AMENDED, AND OF REGULATIONS AND ORDERS OF THE ADMINISTRATOR OF THE WAGE AND HOUR DIVISION ISSUED UNDER SECTION 14 THEREOF. IMPORTED ITEMS, IF RESOLD OR REPACKED MUST CONFORM TO THE REQUIREMENTS OF 19 U.S.C. 1304 AND 19 CFR PART 134. ALL CLAIMS MUST BE MADE WITHIN TEN (10) DAYS, PACKING LIST MUST ACCOMPANY CLAIM, MERCHANDISE NOT SUBJECT TO RETURN WITHOUT OUR PERMISSION.

MATERIAL CONTAINED IN THIS SHIPMENT WAS INSPECTED IN ACCORDANCE WITH APPLICABLE DRAWINGS AND SPECIFICATIONS. BILD INDUSTRIES DISCLAIMS ANY RESPONSIBILITY FOR MANUFACTURING OR FUNCTIONAL DEFECTS, AND HEREBY LIMITS EXPRESS OR IMPLIED WARRANTIES TO LIABILITY FOR THE COST OF REPLACING OR REFUNDING THIS MATERIAL. BUYER IN ACCEPTING DELIVERY OF THIS MATERIAL ACKNOWLEDGES AWARENESS OF SUCH LIMITATIONS.

[Handwritten signature]

MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 85918

PART NUMBER: AN3-14A

REV: 3

LOT NUMBER: 77053

MANUFACTURED QUANTITY: 81,000

MILL HEAT NUMBER: 8195831

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 07/13/15


QUALITY ASSURANCE REPRESENTATIVE

LI
U



CUST PO NO SO NO
0045373800 523712
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 63854

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

STREET

PAGE

EDI

1007 1 **PACKING SLIP**
INSPECT IMMEDIATELY

[illegible]

BATCH 7364185308

ITEM AN4-20A=28

APHONGSAVAN
02/09/16

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

FEB 03 2016

QUALITY CONTROL MANAGER

DATE SHIPPED

SHIPPED ✓

SIGNATURE - MERCHANDISE RECEIVED

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

2

MAC FASTENERS, INC. - RIVER VALLEY PLANT
260 AIRPORT INDUSTRIAL RD
PARIS, AR 72855

**CERTIFICATE OF CONFORMANCE
 AND
 MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 82947

PART NUMBER: AN4-20A

REV: 3

LOT NUMBER: 5275

MANUFACTURED QUANTITY: 48,550

MILL HEAT NUMBER: 8077858

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number
 do not contain Mercury or Mercury compounds, and were
 manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC
 FASTENERS within the United States, and were processed in accordance with all applicable drawings and
 specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners - River Valley Plant is an AS9100C Registered Company- SAI GLOBAL - 0077991

Mac Fasteners - River Valley Plant is a DISC QSLM approved Manufacturer - CAGE Code 3K1M6

DATE: 04/09/14


 QUALITY ASSURANCE REPRESENTATIVE

SAFETY DATA SHEET



Date of issue/Date of revision 22 July 2015

Version 8

Section 1. Identification

Product name : PR 1425 B 2 Part A
Product code : PR 1425 B 2 Part A
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications.
Use of the substance/
mixture : Sealants
Uses advised against : Not applicable.

Supplier : PPG Aerospace PRC-DeSoto
12780 San Fernando Road
Sylmar, CA 91342
Phone: 818 362 6711

Emergency telephone number : (412) 434-4515 (U.S.)
(514) 645-1320 (Canada)
01-800-00-21-400 (Mexico)

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : ACUTE TOXICITY (inhalation) - Category 4
SKIN SENSITIZATION - Category 1
CARCINOGENICITY - Category 1A
TOXIC TO REPRODUCTION (Unborn child) - Category 1B
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 36.6%

GHS label elements

Hazard pictograms :



Signal word : **Danger**

Section 2. Hazards identification

Hazard statements : Harmful if inhaled.
May cause an allergic skin reaction.
May cause cancer.
May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection.
Wear protective clothing. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Contaminated work clothing must not be allowed out of the workplace.

Response : Get medical attention if you feel unwell. IF exposed or concerned: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.

Storage : Store locked up.

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Sanding and grinding dusts may be harmful if inhaled. Repeated exposure to high vapor concentrations may cause irritation of the respiratory system and permanent brain and nervous system damage. Inhalation of vapor/aerosol concentrations above the recommended exposure limits causes headaches, drowsiness and nausea and may lead to unconsciousness or death. NTP, IARC and OSHA have classified chromium (+6) compounds as carcinogenic. Emits toxic fumes when heated.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Product name : PR 1425 B 2 Part A

Ingredient name	%	CAS number
N,N-dimethylacetamide	≥25 - <31	127-19-5
calcium dichromate	≥10 - <25	14307-33-6
Talc, not containing asbestiform fibres	≥5 - <10	14807-96-6
magnesium carbonate	≥3 - <5	546-93-0
Kaolin	≥3 - <5	1332-58-7
carbon black, respirable powder	≥0.3 - <1	1333-86-4

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

- Eye contact** : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : Harmful if inhaled.
- Skin contact** : May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
- Ingestion** : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst. This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Special precautions** : Ingestion of product or cured coating may be harmful. If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
N,N-dimethylacetamide	ACGIH TLV (United States, 4/2014). Absorbed through skin. TWA: 36 mg/m ³ 8 hours. TWA: 10 ppm 8 hours. OSHA PEL (United States, 2/2013). Absorbed through skin. TWA: 35 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.
calcium dichromate	OSHA PEL (United States, 2/2013). TWA: 0.005 mg/m ³ , (as Cr) 8 hours. Form: OSHA PEL (United States). TWA: 5 mg/m ³ Form: ACGIH TLV (United States, 4/2014). TWA: 0.05 mg/m ³ , (measured as Cr) 8 hours. Form: Soluble ACGIH TLV (United States). : 0.05 mg/m ³ Form: Total dust OSHA PEL Z2 (United States, 2/2013). CEIL: 1 mg/10m ³ , ()
Talc , not containing asbestiform fibres	ACGIH TLV (United States, 4/2014). TWA: 2 mg/m ³ 8 hours. Form: Respirable OSHA PEL Z3 (United States, 2/2013). TWA: 20 mppcf 8 hours. Form: not containing asbestos OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
magnesium carbonate	ACGIH TLV (United States, 4/2014). TWA: 2 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
Kaolin	ACGIH TLV (United States, 4/2014). TWA: 2 mg/m ³ 8 hours. Form: Respirable fraction OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
carbon black, respirable powder	ACGIH TLV (United States, 4/2014). TWA: 3 mg/m ³ 8 hours. Form: Inhalable fraction OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m ³ 8 hours.

Key to abbreviations

A = Acceptable Maximum Peak
 ACGIH = American Conference of Governmental Industrial Hygienists.
 C = Ceiling Limit
 F = Fume
 IPEL = Internal Permissible Exposure Limit
 OSHA = Occupational Safety and Health Administration.
 R = Respirable

S = Potential skin absorption
 SR = Respiratory sensitization
 SS = Skin sensitization
 STEL = Short term Exposure limit values
 TD = Total dust
 TLV = Threshold Limit Value
 TWA = Time Weighted Average

Section 8. Exposure controls/personal protection

Z = OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety glasses with side shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Gloves : butyl rubber

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: Black.
Odor	: Not available.
Odor threshold	: Not available.
pH	: Not available.
Melting point	: Not available.
Boiling point	: 100 to 166.11°C (212 to 331°F)
Flash point	: Closed cup: Not applicable.
Material supports combustion.	: Yes.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Evaporation rate	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.35
Density (lbs / gal)	: 11.27
Solubility	: Insoluble in the following materials: cold water.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >0.21 cm ² /s (>21 cSt)
VOC	: 0
% Solid. (w/w)	: 100

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

Section 10. Stability and reactivity

Hazardous decomposition products : Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
N,N-dimethylacetamide	LC50 Inhalation Gas.	Rat	2475 ppm	1 hours
	LD50 Dermal	Rabbit	2240 mg/kg	-
	LD50 Oral	Rat	4300 mg/kg	-
magnesium carbonate	LD50 Oral	Rat	8000 mg/kg	-
Kaolin	LD50 Oral	Rat	>5000 mg/kg	-
carbon black, respirable powder	LD50 Dermal	Rabbit	>3 g/kg	-
	LD50 Oral	Rat	>15400 mg/kg	-

Conclusion/Summary : There are no data available on the mixture itself.

Irritation/Corrosion

Conclusion/Summary

Skin : There are no data available on the mixture itself.

Eyes : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

Sensitization

Conclusion/Summary

Skin : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

Mutagenicity

Conclusion/Summary : There are no data available on the mixture itself.

Carcinogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Classification

Product/ingredient name	OSHA	IARC	NTP
calcium dichromate	+	1	Known to be a human carcinogen.
carbon black, respirable powder	-	2B	-

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen

OSHA: +

Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Section 11. Toxicological information

Specific target organ toxicity (single exposure)

Name	Category
Talc , not containing asbestiform fibres	Category 3

Specific target organ toxicity (repeated exposure)

Name	Category
calcium dichromate	Category 2

Target organs

: Contains material which causes damage to the following organs: kidneys, brain, eyes.
Contains material which may cause damage to the following organs: blood, lungs, the reproductive system, liver, cardiovascular system, upper respiratory tract, skin, central nervous system (CNS), stomach.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : Harmful if inhaled.
Skin contact : May cause an allergic skin reaction.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations
Skin contact : Adverse symptoms may include the following:
irritation
redness
reduced fetal weight
increase in fetal deaths
skeletal malformations
Ingestion : Adverse symptoms may include the following:
reduced fetal weight
increase in fetal deaths
skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary : There are no data available on the mixture itself. Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. There is some evidence that repeated exposure to organic solvent vapors in combination with constant loud noise can cause greater hearing loss than expected from exposure to noise alone. If splashed in the eyes, the liquid may cause

Section 11. Toxicological information

irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Short term exposure

Potential immediate effects : There are no data available on the mixture itself.

Potential delayed effects : There are no data available on the mixture itself.

Long term exposure

Potential immediate effects : There are no data available on the mixture itself.

Potential delayed effects : There are no data available on the mixture itself.

Potential chronic health effects

General : May cause damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Carcinogenicity : May cause cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : May damage the unborn child.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	9232.5 mg/kg
Dermal	2361.8 mg/kg
Inhalation (gases)	2657 ppm
Inhalation (vapors)	23.62 mg/l
Inhalation (dusts and mists)	3.221 mg/l

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
N,N-dimethylacetamide	-0.77	-	low

Mobility in soil

Product code PR 1425 B 2 Part A

Date of issue 22 July 2015

Version 8

Product name PR 1425 B 2 Part A

Section 12. Ecological information

Soil/water partition coefficient (K_{oc}) : Not available.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	UN3082	UN3082
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (calcium dichromate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (calcium dichromate)
Transport hazard class(es)	-	9	9
Packing group	-	III	III
Environmental hazards	No.	Yes.	Yes.
Marine pollutant substances	Not applicable.	(calcium dichromate)	Not applicable.

Additional information

DOT : None identified.

IMDG : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

IATA : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Product code PR 1425 B 2 Part A

Date of issue 22 July 2015

Version 8

Product name PR 1425 B 2 Part A

14. Transport information

Special precautions for user : **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are listed or exempted.

SARA 302/304

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Immediate (acute) health hazard
Delayed (chronic) health hazard

Composition/information on ingredients

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
N,N-dimethylacetamide	Yes.	No.	No.	Yes.	Yes.
calcium dichromate	No.	No.	No.	Yes.	Yes.
Talc, not containing asbestiform fibres	No.	No.	No.	Yes.	No.
carbon black, respirable powder	Yes.	No.	No.	No.	Yes.

SARA 313

	<u>Chemical name</u>	<u>CAS number</u>	<u>Concentration</u>
Supplier notification	: calcium dichromate	14307-33-6	10 - 30

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 3 * **Flammability** : 0 **Physical hazards** : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

Section 16. Other information

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health : 3 Flammability : 0 Instability : 0

Date of previous issue : 6/11/2015

Organization that prepared the MSDS : EHS

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

☑ Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.

SAFETY DATA SHEET



Date of issue/Date of revision 9 June 2015

Version 4

Section 1. Identification

Product name : PR 1425 B 2 Part B

Product code : PR 1425 B 2 Part B

Other means of identification : Not available.

Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications.

Use of the substance/
mixture : Sealants

Uses advised against : Not applicable.

Supplier : PPG Aerospace PRC-DeSoto
12780 San Fernando Road
Sylmar, CA 91342
Phone: 818 362 6711

Emergency telephone number : (412) 434-4515 (U.S.)
(514) 645-1320 (Canada)
01-800-00-21-400 (Mexico)

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : ☒ SKIN SENSITIZATION - Category 1
CARCINOGENICITY - Category 2

☒ Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 11.7%

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : ☒ May cause an allergic skin reaction.
Suspected of causing cancer.

Section 2. Hazards identification

Precautionary statements

- Prevention** : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Avoid breathing dust. Contaminated work clothing should not be allowed out of the workplace.
- Response** : If exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : **1-component mixtures:** formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Emits toxic fumes when heated.
- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Product name** : PR 1425 B 2 Part B

Ingredient name	%	CAS number
Calcium carbonate	3 - 7	471-34-1
carbon black, respirable powder	3 - 7	1333-86-4
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane]	1 - 5	25036-25-3
Terphenyl, hydrogenated	1 - 5	61788-32-7

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
- Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Section 4. First aid measures

- Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
- Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : May cause an allergic skin reaction.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
irritation
redness
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
halogenated compounds
metal oxide/oxides

Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : ☒ Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : ☒ Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Section 7. Handling and storage

- Special precautions** : If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
calcium carbonate	ACGIH TLV (United States). TWA: 3 mg/m ³ Form: Respirable TWA: 10 mg/m ³ Form: Total dust OSHA PEL (United States). TWA: 5 mg/m ³ Form: Respirable TWA: 15 mg/m ³ OSHA PEL (United States, 2/2013). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
carbon black, respirable powder	ACGIH TLV (United States, 4/2014). TWA: 3 mg/m ³ 8 hours. Form: Inhalable fraction OSHA PEL (United States, 2/2013). TWA: 3.5 mg/m ³ 8 hours.
Terphenyl, hydrogenated	ACGIH TLV (United States, 4/2014). TWA: 4.9 mg/m ³ 8 hours. TWA: 0.5 ppm 8 hours.

Key to abbreviations

A = Acceptable Maximum Peak
 ACGIH = American Conference of Governmental Industrial Hygienists.
 C = Ceiling Limit
 F = Fume
 IPEL = Internal Permissible Exposure Limit
 OSHA = Occupational Safety and Health Administration.
 R = Respirable
 Z = OSHA 29CFR 1910.1200 Subpart Z - Toxic and Hazardous Substances

S = Potential skin absorption
 SR = Respiratory sensitization
 SS = Skin sensitization
 STEL = Short term Exposure limit values
 TD = Total dust
 TLV = Threshold Limit Value
 TWA = Time Weighted Average

Consult local authorities for acceptable exposure limits.

Section 8. Exposure controls/personal protection

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety glasses with side shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Gloves : Butyl rubber

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Section 9. Physical and chemical properties

Appearance

Physical state	: Solid.
Color	: Black.
Odor	: Not available.
Odor threshold	: Not available.
pH	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: 93.33°C (200°F)
Material supports combustion.	: Yes.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Evaporation rate	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.34
Density (lbs / gal)	: 1.18
Solubility	: Insoluble in the following materials: cold water.
Partition coefficient: n-octanol/water	: Not available.
Viscosity	: Kinematic (40°C (104°F)): Not applicable.
VOC	: 40 g/l

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8.
Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

Section 10. Stability and reactivity

Hazardous decomposition products : Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
carbon black, respirable powder	LD50 Dermal	Rabbit	>3 g/kg	-
Terphenyl, hydrogenated	LD50 Oral	Rat	>15400 mg/kg	-
	LD50 Oral	Rat	17500 mg/kg	-

Conclusion/Summary : There are no data available on the mixture itself.

Irritation/Corrosion

Conclusion/Summary

Skin : There are no data available on the mixture itself.

Eyes : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

Sensitization

Conclusion/Summary

Skin : There are no data available on the mixture itself.

Respiratory : There are no data available on the mixture itself.

Mutagenicity

Conclusion/Summary : There are no data available on the mixture itself.

Carcinogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Classification

Product/ingredient name	OSHA	IARC	NTP
carbon black, respirable powder	-	2B	-

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4

NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen

OSHA: +

Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary : There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Section 11. Toxicological information

Not available.

Target organs : ☒ Contains material which may cause damage to the following organs: kidneys, lungs, liver, spleen, lymphatic system, upper respiratory tract, skin, eyes, bone marrow.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : ☒ May cause an allergic skin reaction.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : ☒ Adverse symptoms may include the following:
irritation
redness
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Conclusion/Summary : There are no data available on the mixture itself. **1-component mixtures:** formaldehyde is released during curing. Formaldehyde may cause irreversible effects, is irritating to the mucous membranes and may cause skin sensitization. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Short term exposure

Potential immediate effects : There are no data available on the mixture itself.
Potential delayed effects : There are no data available on the mixture itself.

Long term exposure

Potential immediate effects : There are no data available on the mixture itself.
Potential delayed effects : There are no data available on the mixture itself.

Potential chronic health effects

General : ☒ Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Section 11. Toxicological information

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

14. Transport information

	DOT	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class (es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

DOT : None identified.

IMDG : None identified.

IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

United States inventory (TSCA 8b) : ☒ All components are listed or exempted.
 Australia inventory (AICS) : ☒ All components are listed or exempted.
 Canada inventory (DSL) : ☒ All components are listed or exempted.
 China inventory (IECSC) : ☒ All components are listed or exempted.
 Europe inventory (REACH) : Please contact your supplier for information on the inventory status of this material.
 Japan inventory (ENCS) : At least one component is not listed.
 Korea inventory (KECI) : ☒ All components are listed or exempted.
 New Zealand (NZIoC) : ☒ All components are listed or exempted.
 Philippines inventory (PICCS) : ☒ All components are listed or exempted.

United States**SARA 302/304**

SARA 304 RQ : Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : ☒ Immediate (acute) health hazard
☐ Delayed (chronic) health hazard

Composition/information on ingredients

Product code PR 1425 B 2 Part B

Date of issue 9 June 2015

Version 4

Product name PR 1425 B 2 Part B

Section 15. Regulatory information

Name	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
Carbon black, respirable powder Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis[oxirane]	Yes. Yes.	No. No.	No. No.	No. Yes.	Yes. No.

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : ☒2 * Flammability : 1 Physical hazards : 0

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Health : ☒2 Flammability : 1 Instability : 0

Date of previous issue : 5/7/2015.

Organization that prepared the MSDS : EHS

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations


☒ Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.



CUST PO NO SO NO
*0045316993 516931
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045316993 516931
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854



CUST PO NO SO NO
*0045316993 516931
FROM: 800 CLEARWATER LOOP
BILD INDUSTRIES, INC. POST FALLS, ID 83854

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

SHIP TO

AVIALL SERVICES, INC.
AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT TX 75261

CUSTOMER BILL TO ADDRESS

AVIALL SERVICES, INC.
ATTN: AP DEPT.
P.O. BOX 619048
DALLAS TX 752619048

COMPLETE CUSTOMER PO NO.

*0045316993

BUYER NAME & PHONE NO.

EDI

BILL TO NO.

SHIP TO NO.

PAGE

ASI007

PACKING SLIP

INSPECT IMMEDIATELY

LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
1		6100	6100	85630/76373 MS27039-1-04	*004531699	ASI007	SCREW BX55-38
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
2		1	1	S/C MANUFACTURE CERT	*004531699	ASI007	CERTIFICATION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
3		1	1	USA COUNTRY OF ORIGIN	*004531699	ASI007	
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION
LINE	LOC	QTY ORDERED	TOTAL QTY SHIPPED THIS ORDER	LOT	CUST. PO NO.	CUST. NO.	DESCRIPTION

CERTIFICATION OF CONFORMANCE

WE HEREBY CERTIFY THAT THE MERCHANDISE INCLUDED ON THIS PACKING LIST IS IN CONFORMANCE WITH AN-MS-NAS OR APPLICABLE SPECIFICATIONS AND OR DRAWINGS.

CAGE CODE 31222

DATE

OCT 28 2015

QUALITY CONTROL MANAGER

Amelia K. Spencer

TOTAL WT

NO CTNS

P = PARTIAL
C = COMPLETE
CC = CONSIDER COMPLETE
CX = CANCEL

DATE SHIPPED

SHIPPED VIA

SIGNATURE - MERCHANDISE RECEIVED

ITEM MS27039-1-04=28



BATCH 7364115859



EMARISCAL
11/06/15

AVIALL, TR

MAC FASTENERS, INC.
1110 ENTERPRISE
OTTAWA, KANSAS 66067

**CERTIFICATE OF CONFORMANCE
AND
MANUFACTURER'S AFFIDAVIT**

CUSTOMER: BILD INDUSTRIES

PO: 85630

PART NUMBER: MS27039-1-04

REV: 4

LOT NUMBER: 76373

MANUFACTURED QUANTITY: 33,000

MILL HEAT NUMBER: 8195829

COUNTRY OF ORIGIN: UNITED STATES OF AMERICA

DFARS 252.225.7009 Compliant

MERCURY FREE CERTIFICATION

MacFasteners certifies that the parts referenced in the above lot number do not contain Mercury or Mercury compounds, and were manufactured in a Mercury free environment.

We certify that the parts furnished against the above referenced purchase order were manufactured by MAC FASTENERS within the United States, and were processed in accordance with all applicable drawings and specifications. Objective evidence of compliance is on file, subject to examination upon request.

Mac Fasteners is a DISC QSLM approved Manufacturer - CAGE Code 0RFT4
Mac Fasteners is an Airbus approved Supplier - 203399

DATE: 03/20/15


QUALITY ASSURANCE REPRESENTATIVE

PRC-DeSoto International, Inc.
A PPG Industries Company

Certificate of Conformance Pick Ticket

Page: 1 of 1

PRC DESOTO INTL-ASC DALLAS
2750 114th Street, Suite 400
Grand Prairie, TX 75050
UNITED STATES
Phone: 817-640-1067

Order Date: 12/08/15
Cust. No.: DA090713
Terms: net30
Cust. P.O.: 45344319

Pack List #: S1182723

03/22/16
12:22:51

Fax: 817-640-1058



CSR: DA525

Transaction Type:
Shipment Terms:

Site: 3723US

DS-PO#:

Remarks: SPEC-AVIAL/ROJEAN 972-586-1314 KSC

Shipvia: SEE BELOW

Sold To: DA090713

Ship To 00030970

AVIAL SERVICES, INC.
P.O. BOX 619048
DALLAS, TX 75261-9048
UNITED STATES

AVIAL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT, TX 75261
UNITED STATES

Line	Qty Ordered	UM	Description	Req Date	Due Date	Promise Date	Qty to Ship	Qty Picked
------	-------------	----	-------------	----------	----------	--------------	-------------	------------

NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT
FEDEX GROUND COLLECT ACCT #123985630
IF 150 LBS OR MORE FEDEX FREIGHT COLLECT (ACCT# 532626056)
DO NOT SHIP PARTIAL LINES! *** MSDS REQUIRED WITH EACH SHIPMENT ***
MUST HAVE 75% SHELF LIFE.
EDGE PROTECTORS REQUIRED
PRICE IS SUBJECT TO CHANGE
1/14/16 KC REV-1 REVISED FOR 2016 PRICING

10	336	EA	1425B002CA654SKAV	03/22/16	03/22/16	03/22/16		
----	-----	----	-------------------	----------	----------	----------	--	--

PRC STANDARD
PR 1425 B 2 654SK
SPEC: PRC STD POLYSULFIDE REV ORG
Customer Item: PR1425B2-6OZ=5N

Lot No: 801637-03
*Location: STOCK 3A
Expires After: 12/16
Lot No: 822246-03
*Location: STOCK 4A
Expires After: 12/16

BATCH: 801637.03
DOM OR DOP: 03-16
EXP DATE: 12-16
SHELF LIFE: 9 MONTHS

149 6.2
1.5
187 7.2
1.1
015557

In compliance with the chemical registration laws of UNITED STATES

ITEM PR1425B2-6OZ=5N



BATCH 7364224414



GMOORE
03/30/16

BATCH: 822246.03
DOM OR DOP: 03-16
EXP DATE: 12-16
SHELF LIFE: 9 MONTHS

Shipped by Date 3/22/16

PPG Aerospace/PRC DeSoto International certifies that the above material has been manufactured, tested and conforms to all requirements in accordance with applicable specifications. All test data pertaining to batch acceptance requirements defined by the specification for this material is on file and available for inspection on request. For Non-US PPG Customers, we can only offer Technical Data/Test Reports for any ITAR restricted specifications with valid US export authorization.

SH6 Quality
Control

QC29

PRC-DeSoto International, Inc.
A PPG Industries Company

Certificate of Conformance Pick Ticket

Page: 1 of 1

PRC DESOTO INTL-ASC DALLAS
2750 114th Street, Suite 400
Grand Prairie, TX 75050
UNITED STATES
Phone: 817-640-1067
Fax: 817-640-1058

Order Date: 10/19/15

Cust. No.: DA090713

Terms: net30

Cust. P.O.: 45317116



Site: 3723US

Pack List #: S1164204



CSR:

Transaction Type:

Shipment Terms:

DS-PO#:

Shipvia: SEE BELOW

Ship To 00030970

Remarks: SPEC-AVIALL/ROJEAN 972-586-1314

Sold To: DA090713

AVIALL SERVICES, INC.
P.O. BOX 619048
DALLAS, TX 75261-9048
UNITED STATES

AVIALL CENTRAL WAREHOUSE
2750 REGENT BOULEVARD
DFW AIRPORT, TX 75261
UNITED STATES

Line	Qty Ordered	UM	Description	Req Date	Due Date	Promise Date	Qty to Ship	Qty Picked
------	-------------	----	-------------	----------	----------	--------------	-------------	------------

NEVER ADD FRT TO INVOICE, MUST SHIP COLLECT
FEDEX GROUND COLLECT ACCT #123985630
IF 150 LBS OR MORE FEDEX FREIGHT COLLECT (ACCT# 532626056)
DO NOT SHIP PARTIAL LINES! *** MSDS REQUIRED WITH EACH SHIPMENT ***
MUST HAVE 75% SHELF LIFE.
Edge Protectors required
PRICE IS SUBJECT TO CHANGE
1/15/16 KC REV-1 REVISED FOR 2016 PRICING

10

288 EA

1425B002CA654SK

02/15/16 02/15/16 02/15/16

PRC STANDARD

PR 1425 B 2 654SK

SPEC: PRC STD POLYSULFIDE REV ORG

Customer Item: PR1425B2-60Z=5N

Lot No: 768766-02

*Location: STOCK

Expires After: 11/16

In compliance with the chemical registration laws of UNITED STATES

BATCH: 768766.02

DOM OR DOP: 02-16

EXP DATE: 11-16

SHELF LIFE: 9 MONTHS

288

288

013334

ITEM PR1425B2-60Z=5N



BATCH 7364191809



GMOORE

02/18/16

Shipped by

Date

2/2/16

PPG Aerospace/PRC DeSoto International certifies that the above material has been manufactured, tested and conforms to all requirements in accordance with applicable specifications. All test data pertaining to batch acceptance requirements defined by the specification for this material is on file and available for inspection on request. For Non-US PPG Customers, we can only offer Technical Data/Test Reports for any ITAR restricted specifications with valid US export authorization.

Quality
Control

QC29